

This issue contains the **JANUARY INDEX**

# CURRENT LIST of MEDICAL LITERATURE

Vol. 16

January 28, 1949

No. 3-A



FOUNDED 1836

The CURRENT LIST OF MEDICAL LITERATURE is the only publication of the Department of the Army, Washington, D. C. Price \$2.00 per year (12 issues) in advance. All communications regarding subscription should be addressed to the Superintendent of Documents.

Published weekly by the ARMY MEDICAL LIBRARY, 1215 East & Independence Ave., S. W., Washington 25, D. C. For more information published in the Department of the Army, lists of titles of medical literature published in current journals, received, subject index provided monthly. Booklets mailed.

**THE ARMY MEDICAL LIBRARY**  
Washington, D. C.

CURRENT LIST

MEDICAL LITERATURE

VOL. 16 JANUARY 20, 1942



The **CURRENT LIST OF MEDICAL LITERATURE** is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Price: \$3.00 per year (\$3.75 foreign); 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents.

Published weekly by the **ARMY MEDICAL LIBRARY**, 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the Department of the Army. Lists articles of medical interest contained in current journals received. Subject index provided monthly. Exchange invited.

THE ARMY MEDICAL LIBRARY  
Washington, D. C.

This index was prepared cooperatively by a staff recruited from various divisions of the Library. To expedite its publication, journals on Chemistry, Physics and Veterinary Medicine were eliminated as they were assumed to be adequately indexed in Chemical Abstracts and the Bibliography of Agriculture. Articles listed in the weekly issues under Anthropology, General, History, Bibliography, Biography and Nutrition were indexed selectively; however, articles with any possible medical significance were included. This index further differs from the usual form in that articles have been indexed on a title-word basis when the subject could be expressed in that way. Inconsistencies in terminology result from this procedure as the need for publishing this index was considered urgent.

Because of limitations of space, no cross references are included in the indexes to the CURRENT LIST. In order further to conserve space, the subject subdivisions used have been abbreviated wherever practicable. A list of the abbreviations adopted appears below:

abdom. abdomen	inflamm. inflammation
abnorm. abnormalities	inj. injuries, injurious
accommod. & refrac. accommodation and refraction	innerv. innervation
addict. addiction	instr. instruments
admin. & dos. administration and dosage	insuff. insufficiency
admin. & org. administration and organization	manag. management
anat. & histol. anatomy and histology	med. medical, medicine
appar. apparatus	metab. metabolism
artif. artificial	metast. metastasis
bact. bacteriology	morphol. morphology
bibliogr. bibliography	mortal. mortality
chem. chemistry	nerv. nervous
comm. communicable	neurol. neurology
compl. complications	nutrit. nutrition
cond. conditions	obst. obstetrics
congen. congenital	obstruct. obstruction, obstructive
defic. deficiency	parasit. parasitology
deform. deformities	pathol. pathology, pathological
degen. degeneration	perf. perforation
dent. dental, dentistry	pharm. pharmacy
deriv. derivatives	phys. physical
determ. determination	physiol. physiology, physiologic
develop. development	postop. postoperative
diag. diagnosis	pregn. pregnancy
dilat. dilatation	preop. preoperative
diphth. diphtheria	prep. preparation, preparations
dis. diseases	preserv. preservation
disloc. dislocations	prev. prevention
disord. disorders	prod. production
econ. economic	progn. prognosis
educ. education	progr. progress
eff. effects	psychiat. psychiatry, psychiatric
embryol. embryology	psychol. psychological, psychology
epidem. & statist. epidemiology and statistics	psychosom. psychosomatic
etiol. & pathogen. etiology and pathogenesis	regen. regeneration
exam. examination	rehab. rehabilitation
excis. excision	rel. relations
for. bod. foreign bodies	roent. roentgenography
form. formation	rupt. rupture
fract. fractures	sanit. sanitation
Gt. Brit. Great Britain	seq. sequels
gyn. gynecology	serv. services
hemorrh. hemorrhage	soc. social
hered. heredity	standard. standardization
hist. history	statist. statistics
hosp. hospitals, hospitalization	strict. stricture
hyg. hygiene	surg. surgery, surgical
immun. immunity	tech. technique
in child. in childhood	ther. therapy
indust. industrial	thromb. thrombosis
infarc. infarction	tox. toxicity
infect. infection, infectious	transm. transmission
	transpl. transplantation
	traum. traumatic
	U. S. United States
	wds. wounds



# CURRENT LIST OF MEDICAL LITERATURE

## SUBJECT INDEX

Vol. 16, Nos. 1-3 (cols. 1-240)

January 28, 1949

- ABDOMEN, acute, roent. 130i; adhesions 44-1,201j; cancer, surg. 211e; drainage 204q; hematoma 124j; pain 35r; surg. 28b,51h,73e,110r,136u,179r; tuberculosis 112v; tumor 180c,--fibroma 179t; wds. & inj. 31b,34r,74j
- ABDOMINAL LIGAMENTS, inflamm. 42r
- ABNORMALITIES AND DEFORMITIES, 67v
- ABORTION, 19w; compl. & seq. 44g; criminal 120r, 175n,179d,--in Denmark 19v; etiol. & pathogen. 202u; induced 201h; prev. 199c
- ABSCESS, subphrenic 44r
- ACANTHOSIS, nigricans 94a
- ACARINA, trombiculidae 82m
- ACCIDENTS, 181r; industrial 19s
- ACCULTURATION, 82f
- ACETABULUM, surg. 197m
- ACETYLCHOLINE, 35g,35h,63n,158k,228c
- ACID, p-aminobenzoic, ther. 67o,158-1,173i; cacodylic 205t; desoxyribonucleic, metab. 22h; homogentisic 205b; pyroracemic, metab. 153f
- ACIDOSIS, 120n; ammoniumchloride, 149-1
- ACORNS, 229j
- ACRIDINE, tox. 20c
- ACRODERMATITIS, atrophicans 13m
- ACRODYNIA, 187j
- ACROKERATOSIS, verruciformis 14n
- ACROMEGALY, 127t
- ACTINOMYCOSIS, 17c, abdominal 72t; appendix 223b; cervicothoracic 120a; corneal 44k; etiol. & pathogen. 223b; facial. 91a; pulmonary 74d; thoracic 72t
- ACYSTINOSIS, 127m
- ADAPTATION, 32k; functional 120v
- ADDICTION, 131k,131-1
- ADDISON'S DISEASE, 208e; compl. & seq. 44v; in diabetes 39g; infants 67d; medication 97j,209r; ther. 199j
- ADENOIDITIS, nutritional 142c
- ADENOTOMY, 222a; compl. & seq. 65n
- ADHESIVE TAPE, 220q
- ADNEXES UTERI, inflamm. 202f; tuberculosis 179k
- ADONIS, 68w
- ADRENAL GLAND, cortex 41s,--hyperplasia 46i; eff. of drugs on 100a; insuff. 114n,174u; medulla 194s; physiol. 66e,173w; surg. 122a,207l,--eff. 99v; tumor 62o,79d,193g,207d,--compl. & seq. 58j,220j,220K
- ADRENAL PREPARATIONS, 94t; admin. & dos. 4u; eff. 2f,108p,198s,206r,207l
- ADRENALIN, 22m; eff. 21q
- ADRENOCORTICOTROPIN, eff. 2e,99t,131-1
- AESCULAPIUS, and serpents. 115d
- AGGLUTININS AND AGGLUTINATION, 35u,149t, 180u,182h,182i,182j,206f; fractionation 134f; roent. 223j
- AINHUM, in Cuba 18p
- AIR, disinfection 211v
- ALBINISM, compl. & seq. 93q
- ALBUMINURIA, 38v
- ALCOHOL, eff. 114a,206s,217p; tolerance 23r; tox. 201
- ALCOHOLISM, 23u,133d; hist. 23w; medico-legal asp. 130-1; mental tests 23s; soc. aspects 187p; Sweden 23v; ther. 4k,106u,107b
- ALCOHOLS, gentisy 205b
- ALEUKIA HEMORRHAGICA, 142t,188b
- ALKALOIDS, 22e
- ALLANTOIN, ther. 98m
- ALLERGY AND ANAPHYLAXIS, 4j,121r,202a; dermatol. asp. 172i,172r; etiol. & pathogen. 147r; in plants 29w; local 45b; ophth. aspects 220t; otorhinolaryng. asp. 141h,197a,220t,221v; serum & vaccine 34t,35b,40n,110d,197v,200n,202c; symptoms 18n; ther. 191k; to flour 213k; U. S. 111t
- ALOPECIA, 17h,94k,215a; areata 16i; cicatrisata 16i
- ALTITUDE, 161q,170f
- ALUDRIN, eff. 21q
- ALUMINUM, 22u
- AMBLYOPIA, 64k
- AMBLYSTOMA, 164f,207k
- AMEBIASIS, 98j,175d,185m; atypical 46n; ther. 187h,187i
- AMENORRHEA, 27v,215t; diag. 131f,198t; ther. 27k,105h,179f
- AMINES, eff. 104o
- AMINO ACIDS, 29q; metab. 37g,173s; prep. 177w; ther. 109c
- AMINOPTERIN, ther. 97g
- AMMONIA AND AMMONIUM COMPOUNDS, 173q; eff. 153n; quarternary ammonium salts 227o
- AMNION, develop. 2-1
- AMPHIBIA, 83i
- AMPUTATION, 23a,72-1,73j,238a
- AMYLOIDOSIS, 133j,216e; mesenchymal 65j; ther. 120a
- ANAL SPHINCTER, pathol. 98-1
- ANALEPTICS, 161r
- ANALGESIA, continuous caudal, in obst. 212u,161e 161m; post-op., procaine 161f
- ANALGESICS, 109j; eff. 32o; local 161d; testing 119g
- ANATOMY, comparative 39p;--bibliogr. 81g; institute, Bavaria 110b
- ANDROGENS, 207d; eff. 207e; metab. 100h; ther. 47e
- ANEMIA, 57a; aplastic 40h; Cooley's diag. 67p, etiol. & pathogen. 187n; exper. 41t; hemolytic 125m,194b; in child. 56q,194b,194e; macrocytic 34e,38s,49v,--ther. 38t; nutrit. ther. 50b; pernicious 213m,--compl. & seq. 38f,--diag. 194i; --etiol. & pathogen. 33u,--familial 44m; pathol. 33m,201a,--ther. 33-1,109u,195n,199i,200v; sickle cell 79h,--heart in 211k; splenic 28h,34m; tropical macrocytic, ther. 110p
- ANESTHESIA, 37f,76e,181q,190g; accid. 155v; appar. 25b,111m,161h; compl. & seq. 82a,110-1, 161n,--in child. 81q,236g; curare 119r; cyclobutane 81r; diabetics 161k; exper. 149k,231g; fenestration 82a; in dent. 11t,41c,170k,171c; in gen. pract. 184e; in obst. 125u,161-1,209m; in orthopedics 82b; inhalation 161j; intravenous 179r; local 43c,--phenylthiouretanes 227n,--tripelenamine hydrochloride 18e; methadon in 81q; ni trous oxide 119r; pentothal 119r,--in child. 33v; physiol. 161j; polythene 136-1; premedication 195o,--in child. 161-1; procaine 41,33c,190e; scophedel 141u; spinal 33v,81s,81t,--compl. &

- seq. 213f; thiopentone, eff. 161e; thorax 81u, 81v, 235n
- ANESTHETICS, local, fluorescence 117a
- ANESTHETISTS, 190p; philosophy 35e
- ANEURYSM, aortic 36g, 155h, 199-1; brachiocephalic 142d; card. 210m, 235g; cerebral 185n; iliac, rupt. 156p; venal 150e
- ANGINA PECTORIS, 186f; surg. 129f; ther. 76e
- ANGIOKERATOMA, diag. 13f
- ANGIOMATOSIS, medullary 30v
- ANKLE, arthrodesis 156r; fract. 60e; tumor 60h
- ANOPHELES, 118a
- ANTHELMINTHICS, tox. 188d
- ANTHISAN, ther. 119k
- ANTHRAX, 145f; occup. 66u; ther. 189i
- ANTHROPOLOGY, 82e, 134m; cultural 82g; in Germany 82j; in Indo-China 82i; problems 134s; tech. 82i
- ANTIBIOTICS, 54g, 170w, 197o, 227p; eff. 237b; in dentistry 92b; ther. 37b; vegetable 229b
- ANTICHOLINESTERASE, eff. 35h
- ANTICYTOTOXIC SERUM, 59a, 66i, 234a
- ANTIGENS AND ANTIBODIES, 4q, 54u, 174k, 193r, 202h, 222v, 223v; exper. 205m; genetic asp. 102g; heart resist. 181c
- ANTIHISTAMINES, 93g; synthetic, eff. 181a
- ANTHILALURONIDASE, 134j
- ANTISEPSIS AND ANTISEPTICS, 230d
- ANTISIDIN, ther. 65h
- ANTISTREPTOLYSIN REACTION, 31o
- ANTIVITAMIN, 37r
- ANTROTOMY, infants 141q
- ANURIA, 51e
- ANUS, artificial, 236g; fistula, surg. 55n
- ANXIETY, eff., ther. 61g; etiol. & pathogen. 218-1
- AORTA, abnorm. 66j, 72u, 212b; roent. 144-1; rupture 57g, 216f; stricture 48m, 185r; thrombosis 119m; calcification valve, 66c, --insuff. 7b; wds. & inj. 209d
- APHASIA, 60u, 70g
- APHIS, 163k
- APPARATUS, 204g, 229h, 232u, 233s
- APPENDECTOMY, compl. & seq. 98n, 175a
- APPENDICITIS, 32d; acute, diff. diag. 174v, 213i; compl. & seq. 200a; diag. 234-1; etiol. 223n; gangrenous 208v; in pregn. 189k
- APPENDIX, bact. 51s; cancer 174v; carcinoid 36b
- AQUEOUS HUMOR, 139t, 208a
- ARACHNIDS, 209b; compl. & seq. 222k
- ARAN [CURRY] 116s
- ARCH SUPPORTS, product. 22v
- ARGINASE, purific. 22g
- ARGININE, eff. 204w
- ARGYLL-ROBERTSON SYNDROME, 62-1
- ARGYRIA, 18g
- ARM, pain 184f; paralysis, surg. 156m
- ARRHYTHMIA, 110-1
- ARSENIC AND COMPOUNDS, prod. 205t; tox. 45g, 129u, 143t, 185g, 193t, 197u, 238n, 238o
- ARSPHENAMINES, eff. 46t; tox. 46s
- ART, ther. 136k
- ARTERENOL HYDROCHLORIDE, 194s
- ARTERIES, carotid, occlusion 4d; hepatic 74i; morphol. 143i; occlusion, ther. 48c; renal 205a; roent. 204g; temporal 47j; vertebral 64p
- ARTERIOSCLEROSIS, aortic 206b, 211v; etiol. & pathogen. 184w; pulmonary, exp. 67a; roent. 48c
- ARTERITIS, 47j; infect. 109o, 199p; gonococcal, diag. 134d; in pregn. 131v; metab. 134j; neuropathic, diag. 59p; psoriatic 133t; rheum. 133j, 133k, 134a; blood in 133-1, --compl. & seq. 32f, 110s, --in child. 133v, --ther. 37w, 56-1, 111-1, 198f
- ASCARIASIS, diag. 43e; roent. 72f; ther. 197j, 211p
- ASCARIS, 4n, 207b
- ASCITES, 125n
- ASCORBIC ACID, determ. 58m; metab. 173f
- ASPERGILLIC ACID, 176v
- ASPERGILLOSIS, pulmonary 53c, 125a
- ASPHYXIA, 141j; neonatal 192r
- ASTHMA, 76a; etiol. & pathogen. 61h, 202a; in child. 145o, 183w; ther. 76c, 76d, 76e, 77r, 120c, 190e, 202a, 213r
- ASTIGMATISM, 220d
- ATELECTASIS, 112e, 143u, 145-1
- ATHLETICS, electrocard. 38o
- ATOMIC ENERGY, dent. aspects 170-1; in med. research 64f
- ATROPHY, macular 15w, 17r; muscular 158d
- ATROPINE AND DERIVATIVES, 183s, 195o; eff. 187u; tox. 39t
- AUREOMYCIN, 40g, 109n, 205q, 211g
- AUTOPSY, 52-1
- AVERTIN, ther. 181
- AVIATION AND AVIATORS, acceleration 3d; endocrin. asp. 162d; fatigue 3e; health asp. 116p; physiol. & pathol. eff. 47d, 196g; psychol. 2v; pub. health aspects 162b; tests 161u
- AYERZA'S DISEASE, 55q
- BAL, 200-1; eff. 93k; ther. 13b, 52o, 71h, 129u
- BACKACHE, 132j, 181n, 181o, 181p, 237u
- BACTEREMIA, in animals 121b; in surg. 32q
- BACTERIA, aerogenes 66v; agarogenous 3k; agglutination 67c; anaerobic 188a; anti-hemolytic 66p; colt 103g, 162-1, 216u, --in milk 58u, --in water 58t; corynebacteria 3j; electrokinetic asp. 163d; metabolism 207m; morphol. 67a, 121f; mucous capsulatus group 56s; pleuro-pneumonia like 134i; polysaccharides 40o; typhoid group 46f
- BACTERICIDES, 148e; antagonism 176u
- BACTERIOLOGY, 66n, 121f, 162j
- BACTERIOPHAGE, 104n, 163c; culture 31i; genet. asp. 103h; plague 206g; ther. 37h
- BACTERIOSTASES, 18p, 228-1
- BACTERIOSTATICS, 199p; anti-tubercular 37q
- BAKING POWDER, 69d
- BALANTIS, xerotica obliterans 15u
- BANANA, dis. 230f
- BARBITURATES, 66s, 104-1, 126u, 129a, 203w; tox. 55h, --ther. 109p, 110t
- BARRE-BARTSCH'S SYNDROME, 140o
- BARTHOLIN'S GLANDS, 179c
- BATHS, 7q, 76v, 116-1, 190a
- BETTERES, water, hydrostatics 150d
- BEHAVIOR, 232d, 232e, 232q
- BEHOET'S SYNDROME, 36a
- BELLADONNA, 199r
- BENCE-JONES DISEASE, 143-1
- BENZEDRINE, eff. 158m, 158o
- BENZINE, tox. 42-1
- BENZOCANE, 25n; ther. 30g
- BERYLLIUM POISONING, 95o, 209m, 216g
- BETA RAYS, eff. 103j
- BETTI, PIETRO, 29b
- BIBLE, 121p, 121r, 121u
- BILE, acids & salts 229r; neurol. aspects 163v
- BILE DUCTS, blood supply 237g; calculi 31i; dis. surg. 214i, 214p; obstruction 50r; roent. 208i; stricture 126s
- BILHARZIOSE, 214p
- BILIARY TRACT, dis. in child. 146v, 147a; surg. 204r
- BILIRUBIN, determ. 19k; metabolism 120t
- BIOCHEMISTRY, 32b; cellular 177m
- BIOLOGY, 82v, 164q, 189s, 229n; exper. 131o; institutions 101f
- BIOMETRY, 3o, 3q, 3r
- BIOTIN, excretion 93b
- BIRDS, parasites 82q; pectines 219r; reproduction 83h
- BIRTH CONTROL, 190s, 229a

BIRTHS, 191  
BISMUTH, 191  
BURET, 191  
BLADDER, 191  
50r, 184  
for. bo  
inflam  
tumor  
BLASTOC  
BLASTOM  
BLIND, p  
BLISTER  
BLOOD, 1  
180w;  
194h, 2  
39s; id  
iodine  
165-1,  
cullin 2  
174d, -  
148-1,  
191-1, 2  
196u;  
121h, -  
152i, -  
specific  
173o, 1  
BLOOD C  
bibliog  
child.  
BLOOD C  
asp. 2  
62w, 1  
204g,  
BLOOD  
appar  
eff. of  
84t  
BLOOD  
200i, 2  
83q, 1  
58d;  
195f,  
BLOOD  
--exp  
BLOOD  
203u;  
48w,  
BLOOD  
on 22  
BODY V  
BONE, 1  
54a, 2  
surg  
155t  
BONE  
in cl  
BONNE  
BOTAN  
BOWEN  
BRAIN,  
61a;  
--ot  
121v  
met  
ther  
130c  
tric  
met  
BREAS  
Pag  
pre  
206  
BREAS  
191



## BIRTHS, multiple 26p

BISMUTH, tox. 92v

BIURET, reaction 57-1

BLADDER, abnorm. & deform. 159u,198a; calculi 50r,104f,192s; cancer 36d,159n; dis. 202r,218o; for. bod. 239i,239m; hemorrh. 239k; hernia 44-1; inflamm. 121g,121i; rupture 52i; surg. 122v; tumor 54-1,54m,213f,215j,239p; wds. & inj. 215e

BLASTOCYSTS, 238p,238r

BLASTOMYCOSIS, So. American 115b

BLIND, psychol. 70n

BLISTER FLUID, 181h

BLOOD, 238j; bilirubin 43v; cells 203o; chem. 180w; coagulation 33p,41u,95b,121n,130g,174c, 194h,205d; dis., electrophoresis 94s,--newborn 39s; identification tests 186o; in surg. 236r; iodine 175h; lipoids 200k; oxidation 38q; oxygen 165-1,--defic. 148w,149a,--determ. 97b; penicillin 206h; pigments 127-1; plasma 122-1,174c, 174d,--clotting 68t,--determ. 97o,--fractionation 148-1,148n,148o,--viscosity 133-1; platelets 186r, 191-1,206e,207f; preserv. 58b; proteins 144m, 196g; prothrombin 125i,125-1; sediment. 33n, 121h,--ophth. aspects 219t,219v; serum, determ. 152i,--floculation 96o,--phosphatase 38h; specific gravity 51o; uric acid 173v; volume 173o,174e

BLOOD CIRCULATION, 38j,38k,49c,119e,152f,191i; bibliogr. Rumania 165r; eff. on kidney 42w; in child. 194k; peripheral 38-1,38m

BLOOD GROUPS, 4r,46c,58a,178-1,194u; abortion asp. 202u; research 40-1; Rh factor 28c,50d, 62w,147g,154p,176w,182p,192v,194v,202h,204f, 204g,--in pregnancy 105r; med. legal asp. 108a

BLOOD PRESSURE, 6r,174a,194n,231m,231q,231r; appar. 25f; eff. of baths on 7q; eff. of diet 108r; eff. of drugs 21q; low, exper. 231n; venous 38k, 84t

BLOOD PRESSURE, HIGH, 6r,7c,7d,54h,58d,174a, 200i,208r; etiol. & pathogen. 4k,49i,194w; exper. 83q,109m; hered. 6s; metab. 38b; pathol. 58c, 58d; surg. 30s,44n,58e,108c,122i,122v,127h,156g, 195f,201q,236d; ther. 6m,33d,58n,76i,108r,188q

BLOOD SUGAR, determ. 162f; high 2u,--eff. 95v, --exper. 5a,54v; low 49b,46k,114h,164e

BLOOD TRANSFUSION, 58b,58c,125t; arterial 203u; banks 106u; compl. & seq. 197-1; hist. 48w,57i; serum 228u; technic 111d,203-1

BLOOD VESSELS, 1s; dis. 84t,202k; eff. of drugs on 228c; wds. & inj., surg. 73m

BODY WEIGHT, 74r; decrease, eff. 153u

BONE, 35b; bank 32-1; develop. & growth 1u,53n, 54a,99t,143f,196t; flexibility 60a; minerals 22a; surg. 40d,--appar. 60k,60m,60n; tumor 46i,60g, 155t

BONE MARROW, 73r,199g; biopsy, in animals 67g; in child. 97d; puncture 73s; transpl. 1u

BONNEVE-ULLRICH, status 102m

BOTANY, expeditions 230n

BOWEN'S DISEASE, 46s

BRAIN, abscess 64v,--surg. 236p,--ther. 61v; anat. 61a; atrophy 61i; dis. 49u,185q,210c,--diag. 76w, --oto-rhinogenic 65o,--rheum. 46m; hemorrh. 121v; hernia 141r; localization of function 61i; metab. 43d,185s; physiol. 61c,61d,206s; pneumo-ther. 192-1; roent. 45m; tumor 52s,65a,122d, 130e,140h,156i,156u,197c,--in child. 226g; ventricles, puncture 210v; wds. & inj. 42h,113j,--metab. in 131u

BREAST, cysts 236a; fibrosis 143g; male 183b; Paget's disease 44g; pain, premenstrual 130v; precancerous 71r; surg. 35m; tumor 143a,206q, 206u,--exper. 5t,--hered. predis. 5v

BREAST CANCER, 47e,51m,71s,113p,124k,178o, 191t,194m,198f,204u,236v; exper. 5u; hered.

predis. 6g,178n; histol. 142p,142s,143c; progn. 71s; radiother. 37k,156f; statistics 71q; surg. asp. 71u; ther. 35c,71t,111p,156d,236m

BREAST FEEDING, eff. 151e

BROMODERMA, 14j

BROMULPHALEIN, 33d,99b

BRONCHI, bact. 216g; cancer 45e,118k,155c calcif. 155e,--diag. 151n; cysts 236t; dis., diag. 47f; for. body, ther. 221g; roent. 209v,209w, 235e; tumor 201e; wds. & inj. 74g

BRONCHIECTASIS, 112e,188-1; diag. 132b; pathol. 66f; prev. 145-1; ther. 155f

BRONCHITIS, diag. 193f; ther. 203s

BRONCHO PNEUMONIA, 94j

BRONCHOSCOPY, 45a

BRONCHOSPIROMETRY, 198w

BRONTE, CHARLOTTE AND EMILY, personality 613k

BRUCEA JAVANICA, 187h

BRUCELLA, agglutination 180t; dye sensitivity 67f; mellitensis 40g

BUONAPARTE, CARLOTTA, 29a

BURNET'S REACTION, in child. 147b

BURNS, 155v; anemia in 50q; compl. & seq. 193m; infect. 155u; ther. 30g,73i,215f

CACHEXIA, in hypoglycemia 46k

CADAVERS, glycogen in 67e

CADMIUM, eff. 215q

CALCANEUS, cyst 214a

CALCIFEROL, ther. 159h

CALCIFICATION, 173k; exper. 205p

CALCIUM AND COMPOUNDS, 69e,176b; metab. 231f; prep. 24t; retention 138g; ther. 27r,143b, --dermat. asp. 92-1,--ophthal. asp. 140f

CALORIDES, in blood, exper. 53u

CALORIGENIC SUBSTANCES, 99r

CALORIMETERS, 192q

CAMOQUIN, 162d

CANCER, 53e,75f,93p,155r,164u,187b,191e,192c, 213t; abdomen, surg. 211e; appendix 174v; blood 23j,--glycolysis 84g; bronchi 118k,155c, 155e; cells 94g; cervix, ther. 184c; clinics 83w; dent. asp. 91n; diag. 65t,113r,--biopsy 108w; epidemiol. & statist. 201d; epithelioma 120e; esophagus, surg. 74q,210a; etiol. & pathogen. 6b, 39n,124k,201-1; exper. 49j,206-1,223a; gall bladder 237i; hered. asp. 6e,26i,178o,--in Denmark 6f; hosp. in Connecticut. 113o; in U. S. 113i; kidney, radiother. 144s; Krukenberg 200j; larynx 141k,141-1,221a; liver 75-1; lung, sputum test 95d; metastasis 47e,--ther. 108e; mortal. 125q; multiple 123b; old age 93o; precancerous conditions 94f; prev. 132a; prostate 55g,132p; radiother. 27d,234e; rectum, surg. 210b,236-1; rehabilitation 6i; research 126b; resp. tract 155g; retina, ther. 211s; serodig. 205v; statist. 119h, --in Connecticut 113r; stomach 96t,156-1; ther. 73g,84b,97i,190k,202b; transpl. 84e; uterus 142u, 180h,--radiother. 72f,234k,--tissue culture 186a; vocal cords, radiother. 141k

CANDIDA, infect. 145b

CANTHARIDES, eff. 107r

CARBOHYDRATES, metab. 41s,41v,173w

CARBON, eff. 138a

CARBON DIOXIDE, determ. 77a; eff. 61h,194d; tox. 213j

CARBON MONOXIDE, tox. 51s

CARBON TETRACHLORIDE, tox. 154-1

CARCINOGENS, 137u; eff. 6a

CARDIOLIPIN, 25k

CARDIOLOGY, Rumania 165r

CARDIOPHONE, 22v

CARDIOVASCULAR SYSTEM, abnorm. &amp; deform.

144r,--appar. 206j; dis. 6v,34w,--hered. 84q,

- occup. 30c; --ther. 126u; obstruction, ther. 115r; syphilis 201b
- CARIES, prev. & control 90o
- CARONAMIDE, 108e, 108f, 183j
- BETA-CAROTENE, chem. 163u
- CAROTID BODY, 7k, 37t, 199o
- CAROTID SINUS, dent. asp. 170p
- CARRION'S DISEASE, 233v
- CARTILAGE, 142m, 237f
- CASTOR BEAN, eff. 95o
- CASTRATION, eff. 66s
- CATARACT, 64b, 139a, 140a; compl. & seq. 120g; congen. 188k; electric 140a; hered. 120g; occup. 128o; surg. 123q, 128m, 129j, 193c, 220n, --induc. 151v
- CATHARTICS, 118o
- CAUSALGIA, 17d
- CAUSTIC SODA, gastric eff. 98d
- CECUM, 163b; cancer, surg. 38e
- CELIAC DISEASE, 204a
- CELLS, 142i; giant 198i, 239b; growth 104j, 176a, 227u; pathol. 6c
- CELLULOSE, 229s
- CEPHALIN-CHOLESTEROL TEST, 61q
- CERCARIA, 176d
- CEREBELLUM, abscess 47v; cancer 62g
- CEREBROSPINAL FLUID, 45k, 201e, 240i; bloody 65o; reactions 62b
- CERVIX UTERI, cancer 164w, 201q, --ther. 27d, 40f, 154t, 157e, 184c; dis. ther. 157d; tumor surg. 105d
- CESARIAN SECTION, 105b, 118h, 157i, 182s, 212u
- CESTODES, 82m
- CHAMOMILE, eff. 69j
- CHAPOT-PREVOST, EDOUARD, 110e
- CHARACTER, 190h; endocrine asp. 129r
- CHEILITIS, exfoliativa 15j
- CHEMISTRY, PHYSICAL, in pharmacy 177c
- CHEMOTHERAPY, 69c
- CHICKENPOX, 143s, 145a, 188h
- CHILBLAIN, 16b, 203t
- CHILDREN, anxiety 133d; behavior 145h, 145i, 145k; care & hyg. 134r, 136s, 154d, 169p; develop. & growth 100m, --Poland 128a; dis. 121h; disabled, rehab. 190h; educ. 152d, 152e; eye & ear 51c; guidance 44u, 44v, 45d, 218c; health service, Mo. 192n; intellect, Germany 116o, --low 135h, 217q; nutrition 56g, 195f, 203t, --defect. 224g; personal-ity 190h; spastic, appar. 119m; thorax 224g; tuberc., stat. 151-l; welfare, France 75u, 75v; wds. & inj., predis. 134u
- CHIROPRACTIC, 52n
- CHLORGUANIDE, 182d
- CHLORINE, eff. 125f
- CHLOROETHYLAMINE, dibenzyl 205k
- CHLOROPLASTS, prod. 102o
- CHLOROQUINE, 182d
- CHLORVINYLSARINE, inj. eff. 93k
- CHOLERA, 187k, 191i; epidemiol. & statist. 194m; ther. 37h
- CHOLESTEROL, 42c, 118d; tolerance tests 95w
- CHOLINE AND DERIVATIVES, defic. 138m; eff. 205g, 227w
- CHOLINESTERASE, 149o, 231g, 231h; determ. 194u; pharmacol. 126w
- CHOPIN, FREDERIC, 142r
- CHOREA, compl. & seq. 146i; in child. 146i, 146s, 225u; ther. 43-l, 146s
- CHORIOMENINGITIS, lymphocytic 47h
- CHOROID, hemorrh. 123p; tuberculosis 140-l; tumor 124f, 140m
- CHROMATOGRAPHY, 57-l, 57n
- CHROMOBACTERIUM, iodinum 176i
- CHROMOSOMES, 2k, 83e, 100u, 104g, 104j, 164b; aberrations 102o; chem. 103c, 103i; extra 102c; inter-change 102d; lethal 103b; morphol. 101t; posi-tion--eff. 102t
- CHRONAXIA, 208n; comparative 4w
- CHRYSIASIS, 45j; experimental 45k
- CHYLASCITES, 19i
- CHYLOTHORAX, 19i, 235m
- CICATRIX, 237e
- CIRCULIN, 162s
- CITRATES, chem. 228q; solutions 228p
- CITRUS JUICE, 218v
- CLAUDICATION, 34k, 136w
- CLAVICLE, fract. 191d
- CLIMACTERIC, male 34c
- CLIMATE, 186d, 194f, 194g; blood 153h, 230u; in child. 153p, 153r
- CLINICS, 106t, 213k
- CLINODACTYLIA, hered. 47b
- CLOROBEN, 71o
- CLOSTRIDIUM, aceticum 163a; botulinum 182c, --toxin 206i; lacto-acetophilum 162v; perfringens 4s; sporogenes 29p
- CLOUD CHAMBERS, 101b
- COCCIDIOIDIOSIS, 17b, 17c, 36c, 143f
- COCCOIDEA HOMOPTERA, 26i
- CODEINE, in child. 226m
- COFFEE, eff. of insecticides on 82u
- COLD, common 140w, 177o; etiolo. 140v; prev. & control 57r
- COLITIS, amoebic 71w; ulcerative 99a, COLLOIDION, 69-l, 169c
- COLON, cancer 45v, 113s, 127t; dilat. 196-l, 198n; dis. 187a; for. bod. 190n; obst. 34b; polyp 98r; surg. 45r
- COLOR PERCEPTION, orange filter 69t; tests 64h
- COLORIMETRY, appar. 95e
- COLOSTOMY, appar. 178a
- COLOSTRUM, 125s
- COMMUNICABLE DISEASES, diag. 35s
- CONDUCTION, 35f
- CONESSINE, 227s
- CONJUGATA, measuring 27c
- CONJUNCTIVA, Bitot spot 128j; dis. 63m, 219p
- CONSTITUTION, 49q, 115h, 120u
- CONTACT LENSES, 139c, 140d, 204c, 220f
- CONTAINER, 25m
- CONTRACTINE, 22j
- CONTRACTURE, Dupuytren's 18r
- CONVULSIONS, exp. 232b; in child. 227b; ther. 185-l, 193h
- COPPER, radioactive 41t; ther. 49n, 126c
- COR PULMONALE, chronic 213b
- CORN STEEP LIQUOR, 162j
- CORNEA, abnorm. 120f, 120g; actinomycosis 44k; anesthesta 222f; dis. 63k, 208b; graft, conserva-tion 140q; surg. 140d, 207v; ther., exper. 63v; wds. & inj. 128-l
- CORONARY AND CEREBRAL SYNDROME, 43w
- CORONARY VESSELS, 66h, 223e, 235c
- CORONERS AND MEDICAL EXAMINERS, 200-l
- COUGH, ther. 198g, 203s
- CORPUS LUTEUM, 124q
- CRADLES, hist. 136w
- CRANIOMETRY, 51q; abnorm. 200c, 200s; dis. 49u; tumor 65n; wds. & inj. 64r
- CREATINE AND CREATININE, metab. 152u
- CRESOL, 228v; dimittro-o-, eff. 163g
- CRIME AND CRIMINALS, 20m, 20n, 20p, 20r; detect. 23n
- CROSSING OVER, 176f
- CRUSH SYNDROME, 51e
- CRUSTACEA, blood in 2n
- CRYPTOCOCCUS, infect. 145b

CURARE  
in gy  
nosy  
CURRE  
CUTIS F  
CYANAS  
CYANID  
CYCLOE  
CYCLOE  
CYSTEC  
CYSTIC  
CYSTIC  
CYSTIN  
CYSTS,  
CYTOCH  
CYTOLC  
CYTOPL  
DDT, 12  
DACRYO  
123r  
DACRYO  
DARWIN  
DEAF-M  
DEAFNI  
prev.  
DEATH,  
175q;  
DECIDU  
DEGLU  
DELINQ  
DELIRI  
DENGUI  
DENTA  
fluori  
infect  
DENTA  
DENTIS  
216d;  
169n;  
91s, 1  
171a,  
mode  
DENTIS  
giene  
DERMA  
facta  
tiva  
121m  
genic  
tans  
DERMA  
DERMA  
DERMA  
DERMA  
49w;  
46s;  
DESOX  
DESOX  
DEXTR  
DIABE  
dis.  
vitar  
5-l,  
comp  
231b  
calci  
190o  
DIAGN  
183r  
DIAPH  
DIARR  
108w  
DIASTA



- CURARE AND DERIVATIVES, 371,128s,187q,230-1;  
in gyn. & obst. 1110; paralysis 34u; pharmacog-  
nomy 21g; ther. 76n,133o,229o
- CURRENCY, reform 169o
- CUTIS ELASTICA, 226s
- CYANASE, 21m
- CYANIDE, 163h; in child. 214b
- CYCLOBUTANE, 81r
- CYCLOPS, 164n
- CYSTECTOMY, total 156v
- CYSTIC DUCT, abnorm. 224i
- CYSTICERCOSIS, 209a
- CYSTINE AND CYSTEINE, 103r; in diet 57d
- CYSTS, hydatid 235w,236a
- CYTOCHROME, 24j,194r
- CYTOLOGY, genetic, institutions 101e
- CYTOPLASMIC FACTOR, 103s
- DDT, 123h,228t,229t,233q; in Sicily 37u; tox. 30h
- DACRYOCYSTITIS, in child. 220r; surg. 139i; ther. 123r
- DACRYOCYSTORHINOSTOMY, 139h
- DARWIN, theory 83c
- DEAF-MUTISM, 123q
- DEAFNESS, occup. 47d,162a,162h; manag. 203u;  
prev. 141w; symptomatic 118e
- DEATH, causes 202o; gunshot, med. legal aspects 175q; medico-legal asp. 20a,40j,117r
- DECIDUOMA, exper. 99p
- DEGLUTITION, disord. 50n
- DELINQUENTS, 177k; juvenile 177i,177j
- DELIRIUM, 151i
- DENGUE, compl. & seq. 219-1,219n,219o
- DENTAL CARIES, bact. 95p; etiol. & pathogen. 152e  
fluorides 170o,171f,183v,216w; hist. 172b; lymph  
infect. 171n; ther. 90-1
- DENTAL HEALTH, 12j; students, Switzerland 131q
- DENTISTRY, 62u,90r,91g,169i,169m,169p,171-1,  
216d; analgesia 172d; antibiotics 92b; educ. 169j,  
169n; orthodontic, appar. 171t; prosthetic 12e,  
91s,169-1,--cleft palate 171a,--complete 91h,91r,  
171a,--partial 170d; impression materials 12g;  
models 169n; roent. 91w; surg. 92d; teaching 12d
- DENTISTS, footpain 12d; France 171d; mental hy-  
giene 171i
- DERMATITIS, 13o,93k,94j,193v; allergic 12s; arte-  
facta 203v; diabetic 134,13n; diag. 13f; exfolia-  
tiva 13b,14u,187g; herpeticiformis 13h,13r,16s,17-1,  
121m,172t,173b,--atypical 93t; occup. 13k; radio-  
genic 16a; sensitization 13d,13j; toxic 15c; vege-  
tans 16p; venenata 18d,18m
- DERMATOLOGY, 173i
- DERMATOMYOSITIS, 14t
- DERMATONEUROSIS, ther. 18i
- DERMATOPHYTOSIS, 17k
- DERMATOSIS, 45s; atabrine 130,14i; bullous 15m  
49w; diag. 15v; papulosa nigra 14j; precancerous  
46s; tropical 94p
- DESOXYCORTICOSTERONE, 76r,149j,158i
- DESOXYEPHEDRINE, 81s
- DEXTROSE, eff. 191-1; tolerance 173u
- DIABETES, 19n,53e,58-1; acidosis 108v; Addison's  
dis. in 39g; alloxan 54a,54o,206m,207p,--eff.  
of vitamin B<sub>1</sub> 21n,--etiol. & pathogen. 54q,--exper.  
5-1,--pathol. 54p; blood in 206m; coma 109d;  
compl. & seq. 193u; etiol. 215u; exper. 195q,230w,  
231b; in child. 144f,223u; insipidus 36h; pancreas  
calcif. 96c; renal 35c; surg. 215-1; ther. 130r,  
190o; thyroid in. 100j
- DIAGNOSIS, 202o; appar. 24q; pediatri. 148f; roent.  
183r
- DIAPHRAGM, relaxation 42m,112t
- DIARRHEA, 19d; in child. 36f,111a; in hospitals  
106w; ther. 189u
- DIASTASIS, tibio-tarsal 59f
- DIATHESIS, 225q,225t,226k; arthritic 103n; hemor-  
rhagic 193d
- DIBENAMIN, 39g
- DICHLOROETHYL SULFIDE, 130i
- 2,4-DICHLOROPHENOXYACETATE, eff. 231j
- DICUMAROL, admin. & dos. 47i; eff. 97q,211t; tox.  
110-1,110u,112a,213p
- DIET, 174m,174n,174q; Bircher-Benner's 63g,63h;  
exper. 149m,176b; statistics 137i
- DIGESTIVE SYSTEM, dis. 98f,--in child. 37b;  
physiol. 116u; surg. 175e; tumor 130k,213u
- DIGITALIS, 6k,32r,48t; eff. 186-1,--on blood 97t;  
in child. 225s; tox. 212j
- DINITRORESOL, tox. 130m
- DIPHTHERIA, antiserum 50h; bacilli, in tonsils 222r,  
carrier 213r; cutan. 172w; diag. 225c; immun.  
214g; nasal 34s,163i; ther. 47w
- DIPLOPIA, 222n
- DIPTERA, 83g
- DISABILITY, certification 130a; evaluation 41i
- DISEASES, hered. 102m; malignant 121i; prev. &  
control, international 154p; seasonal, mortal.  
153g; sex difference 50m
- DISINFECTANT AND DESINFECTANTS, 154q,230d
- DISPLACED PERSONS, premature birth 26v
- DISTOMIASIS, 164q
- DITHRANOL, effects 213m
- DIURESES, tests 46c
- DIURETICS, mercurial 96w
- DIVINATION, 232h
- DIVING, 198a
- DIXANTHOGEN, ther. 93e
- DONDERS MEDAL, lecture 124c,124d
- DREAMS, 43h,232k; interpretation 135p
- DRESSINGS, 25j; pressure 24n
- DROPSY, 215v
- DRUGS, 53-1,230r; admin. & dos. 51w; choleric  
149q; eff., bone marrow 117e,--cardiac 4t,41t,  
63r,186-1; extraction 230g; industry, France 148b  
--Honduras 230e; sympatholytic 39g,83r; sym-  
pathicomimetic 81s; traffic, illegal 20s
- DUCTUS ARTERIOSUS, 7a,118h,185r; surg. 156b
- DUODENUM, abnorm. & deform. 19f; atresia, surg.  
145c; cancer 187f,197a; glands, hyperplasia 99j;  
hemorr. 52w; secretion exam. 41v; surg. 51i
- DURA MATER, innerv. in rats 3t
- DUST, counting 152k
- DYES, azo-, nutrit. eff. 84f; organic 229g
- DYSCHONDROPLASIA, 143i; Ollier's 144o
- DYSEMERTRY, bacilli 223k,223-1; epidemiol. 153j;  
in child. 146d; in malaria 146b; ther. 214g
- DYSMENORRHEA, 63e,115b,198e; ther. 63n
- DYSOSTOSIS, in child. 226r
- DYSPONEA, 221n
- DYSTROPHY, muscular 47a,194f; myotonic 62n
- EAR, allergy 220s; auditory canal, tun. 221d;  
blast inj. 141s; dis. in child. 51c,141b,--ophth.  
asp. 141p,--ther. 131u; external 1-1,116j,221k,  
221s,--innerv. 65e; herpes 44p; infect. 221r;  
internal 47o,47p,--dis. 47u,64w,65c,--inj. 201e,  
--pathol. 142c,--reflexes 64t,64u,65f,--surg.  
47t; middle, dropsy 47q; surg. 65j; occup. dis.  
185p; phlegmon 221h; physiol. 69v; roent. 65m,  
221e; tympanic membrane 121q
- EARTHWORMS, anat. 176e
- ECCHYMOSIS, subcutaneous 76p
- ECHINOCOCCOSIS, 239-1
- ECLAMPSIA, 127m; compl. & seq. 27b; etiol. 212t;  
ther. 104v,123a,124o
- ECONOMICS, MEDICAL, 120-1
- ECTHYMA, bact. 117b; statist. 117c
- ECTOPARASITES, 3m
- ECTROMELIA, infect. 195k

- ECZEMA, 172g; in women 123f; lichenoid 15p; occup. 93m,169m; radiother. 43p; ther. 18e,198b
- EDEMA, 94t,94v
- EFFICIENCY, 67o,153s
- EFFORT, syndrome 38r
- EGO, analysis 232j
- ELBOW, arthritis 133r; fract. 217c; surg. 156t
- ELBOW JOINT, innerv. 1p; surg. 60f
- ELECTRICITY, inj. eff. 6w,35d; neurol. asp. 132g
- ELECTROCARDIOGRAPHY, 7g,7h,7-1,7o,33f,57u, 77w,84j,84q,165d,165k,165q,215s; auric complex 6u; exper. 148u; low volt. 7q; precordial 6p, 84-1,84m,84n,84o; T wave 38k
- ELECTROENCEPHALOGRAPHY, 61m,119q,185v, 200q,200r,217n; in child. 145a
- ELECTROENDOCARDIOGRAPHY, 7f,38o,165j
- ELECTROVETROCARDIOGRAPHY, 185b,186e, 186k
- ELECTROLYTES, 4c,66e
- ELECTRONARCOSIS, exper. 21r
- ELECTROPHYSIOLOGY, 69q,69u
- ELECTROTHERAPY, appar. 158f; patents 25d
- ELEPHANTIASIS, 13s,14o,46u; genital 93r
- EMBOLISM, aortic 126k; fat 193n,236j; in trop. med. 46k; med. legal aspects 175q; pulmonary 66p,132o,235c; ther. 202g
- EMBRYOLOGY, copper 164c; exper. 164e; respira- tion 164i
- EMPHYSEMA, 136u,161s,239a; exper. 57o
- EMPHYEMA, compl. & seq. 127v; surg. 184t,235k; ther. 114e,184m
- EMULSIONS, 229g
- ENCEPHALITIS, chronic 19p
- ENCEPHALOPATHY, 119-1,226t
- ENDOCARDITIS, bact. 30r,34g,44s,45i,122e; lenta 36p,123d,203a,203d
- ENDOCARDITIS, Staph. 109e; ther. 41f
- ENDOCRINE GLANDS, 39k,100e; physiol. 54b
- ENDOCRINOLOGY, 76i; deter. aspects 234a; exper. 5p,149i
- ENDOMETRIOSIS, 73e; vesicae 239v
- ENDOMETRIUM, 96b; hyperplasia 104t; tubercu- losis 189n
- ENDOSCOPY, anesth. 221j; pleural 34j
- ENEMATA, patents 25n
- ENTERITIS, dis. 151s
- ENTEROGASTRONE, eff. 96f,99i
- ENZYMES, 21a,162n,162p,162q; proteolytic 101k
- EPIDEMIOLOGY, 119b; urban 153m
- EPIDERMOLYSIS BULLOSA, 94b,132p; diag. 13q, 14a,14h; etiolo. 93c
- EPIDIDYMI, tuberculosis 189h
- EPIGLOTTIS, infect. 221n
- EPILEPSY, 50w,51b,62a,217p; electroenceph. 42s, 127f,226v; etiolo. & pathogen. 61p; exper. 135g; hered. 51a; in animals 149f; otologic aspects 222n; surg.-, indic. 226t; ther. 44d,50u,50v,51d, 226w; tonoscopy 222h
- EPISIOTOMY, postop. care 201o
- EQUILIBRIUM, eff. of drugs 47r
- ERGOL AND ERGOT PREPARATIONS, 193k,230j; eff. 4g,58n,231i; in obst. 53g
- EROTICISM, 218k
- ERYSIPELAS, recurrent 18v; surg. 170b; swine 208u; ther. 76q
- ERYTHEMA, annulare centrifugum 17q; elevatum diutinum 14t,16n; multiforme 14r,15q,31k,94m, 226s; myelogenous 199h; nodosum 119v,196s; toxic 16h,17a
- ERYTHREDEMA POLYNEUROPATHY, 90r
- ERYTHREMIA, 14r,149r,206p; ther. 38u
- ERYTHRINA, 21g
- ERYTHROBLASTOSIS, FETAL, 28c,54s; diag. 94j; etiolo. & pathogen. 193f; hormones 124n
- ERYTHROCYTES, 186m,194j; anions 69o; count 31t,194j,--in inf. 67k; fragility 67c; genet. asp. 103p; f substance 104i; morphol. 143k; prod. 107p,200w; resistance 58o
- ERYTHRON, 33m
- ESERINE, eff. 57r,158k
- ESOPHAGECTOMY, 50-1
- ESOPHAGUS, anat. 73u; abnorm. 155h,221f,235t; atresia 33h,155o; cancer 98h,122u,--surg. 74q, 98g,210a,--ther. 113j; dilatation 65-1,185k; dis. 32u,57q; fetal 180a; obstruct. 65v,155p,214r, 237j; peptic ulcers 97v; strict. 98u,141o; surg. 73v,74f,170n; tumor 50-1
- ESTROGENS, 5k,198f; determ. 100d; eff. 1o,4-1, 49j,119d,206i; in pregnancy 188g; metab. 100g; ther. 46b; tox. 119c,124k
- ESTRUS, 212s; exper. 2g; histol. 105g; in rats 99q; in whales 81-1
- ETHER, absorption 78a; ther. 109w
- ETHICS, MEDICAL, 200h
- ETHIONINE, eff. 205g
- ETHNOGRAPHY, 164o
- ETHYLENE CHLORIDE, tox. 228u
- ETOLEIN, tox. 155n
- EUGENICS, likelihood function 178k
- EUSTACHIAN TUBE, function 57n
- EXOPHTHALMOS, in labor 64c
- EXOSTOSIS, 144g,178j
- EXTREMITIES, arteriosclerosis 48c; dermatitis 172h; dis. 56a; orthopedics, appar. 156s; paraly- sis 173g; prosth. 132g,--patents 24p; surg. 57t; sympathetic dystrophy 236m; varices 115s
- EXUDATES AND TRANSUDATES, bile in 44m
- EYE LENS, abnorm. 140d; fibrosis 128n
- EYEBALL, retraction 119o
- EYEBROWS, dis. 63j
- EYELIDS, abnorm. 123q; dis. 140c,191n
- EYES, 124e; abnorm. 128j,--genetic asp. 26o; accom. & refract. 138u,140c,178s; anat. 117j; bathing 140g; burns 139f; convergence 140h, 220f; develop. 3w; dis. 140o,194e,213n,--in child. 51c,63n,--occup. asp. 151v,--otologic asp. 141p,--ther. 63p,63q,63r; exam. 203n; exerciser, patents 178c; hemorrh. 128m; hyg. 139d; infect. 220-1; inflamm. 139v,151t; intraocular tension 138t,139u; movements 138u; photography 128i; physiol. 124d,139m; pupil, reactions 64o; sar- coidosis 128o; statist. 220h; surg. 140b,--anesth. 211h; toxoplasmosis 68e; tuberculosis 151t,151u; ulcers 63t; wds. & inj. 139e,140g,186v,--statist. 219k
- FACE, 169g; abnorm. 91a,123n; anesth. 170k; erupt. 17d; pain 11w; phlegmon 170q; plast. surg. 170m; phylogeny 20d; surg., appar. 128f; tuber- culosis 14o; tumor 90t
- FAGOPAN, 42t
- FAGUS SILVATICA, 229u
- FALLOPIAN TUBES, excis. 201m; insufflation 212r, roent. 179h,179p,--compl. & seq. 26u
- FASCIOLIASIS, 238q
- FAT, deterioration 148c,219e,228g; heated 137v; in child. 152-1; in diet 137q,137r,137t; infusion 207o; metab. 57d,69i; supply 137r,137s; synth. 229f; traum. atrophy 18-1
- FATIGUE, 124g
- FAYUS, in Georgia 159q
- FEMUR, anat. 60e; fract. 39w,73n,74-1
- FENESTRATION, 65r,137g
- FERMENTATION, 162v,229e
- FETTERISM, 61o
- FETUS, death 50d,122q,201k; sex determ. 41n
- FEVER, 31q,186q; ther. 28a,125i

FEVER 7

FIBRIN,

FIBRINO,

FIBROG,

FILARIA,

FILARIA,

FINGERS

dons 7

FISH, p.

FISTULA,

pleura

45-1;

intesti-

nal 52

FLATFO,

FLEAS,

FLIES,

FLIGHT,

FLOUR,

FLUIDS,

FLUOR,

FLUOR,

171i,1

FLUOR,

FOLIC A

ther.

FOOD, 3

tion 1

FOOT, 1

gangr

surg.

FORCEI

FOREAI

FOREHI

FOREH

FOX-FC

FRACT

147c;

188u;

FRAME

FRANC

FROST

FRUCT

FUNCT

FUNDU

FUNGI,

FUNGHI

GALAC

GALLB

117g;

excis

GAMM

GANGL

GANGR

GARLI

GASTO

GASTR

total

GASTR

ther

19k

GASTR

GAUC

GENES

GENET

102v;

184j;

103i;

101o;

104j;

103i;

GENIT

GENIT

tube

GERIA

- FEVER THERAPY, 152w  
 FIBRIN, 198m  
 FIBRINOID, 134g  
 FIBROGEN, determ. 41u  
 FILARIA, metab. 40t  
 FILARIASIS, 5f, 227m  
 FINGERS AND TOES, dis. 237a; surg. 50s,--tendon 75e  
 FISH, parasites 82o  
 FISTULA, biliary 188v; bronchial 74g; broncho-pulmonary 74m; intestinal 159u; pleuro-pulmonary 45-l; tuberculous 37p; umbilical 145m; uterine-intestinal 28d; visico-sigmoid 189c; vesico-vaginal 52i  
 FLATFOOT, surg. 208j  
 FLEAS, color perception 150f  
 FLIES, 150b  
 FLIGHT, psychol. asp. 177g  
 FLOUR, tox. 213k  
 FLUIDS, admin. & dos. 237e  
 FLUORESCENCE, 3k  
 FLUORINE AND COMPOUNDS, dent. asp. 170o, 171l, 183v, 216w; tox. 108k  
 FLUOROSCOPY, 7j, 29k, 29m, 29u  
 FOLIC ACID, 115w, 200e, 205v; antagonists 97h, 97i; ther. 49v, 97f, 182u, 183f  
 FOOD, 218u, 219f; Chinese 174o; pois. 20h; sanitation 132s  
 FOOT, anat. 155v; arthritis 133v; deform. 197w; gangrene 34k; osteochondritis 60j; pain 189k; surg. appar. 60o  
 FORCEPS, Kielland 43i  
 FOREARM, fract. 210q, 210r  
 FOREHEAD, ulcers 15i  
 FOREIGN BODIES, postnasal 222c  
 FOX-FORDYCE DISEASE, 13q, 93e  
 FRACTURES, appar. 216h; first aid 121p; healing 147c; in child. 73h; intramedullary nailing 42j, 198u; Mayo Clinic 51k; surg. 48h  
 FRAMBESIA, 17w  
 FRACTION, living conditions 136p; P 501 140o  
 FROSTBITE, compl. & seq. 66c; infect. 210n  
 FRUCTOSE, eff. 149p  
 FUNCTIONALISM, 82e  
 FUNDUS, cancer 167f  
 FUNGI, toxins 109h  
 FUNGICIDES, eff. 21b; patents 25r  
 GALACTOSIDASE, 103g  
 GALLBLADDER, 218u; bact. 46f; calculi 47g, 73f, 117g, 204p; cancer 187b, 237f; dis. 196o, 204p, 210x; excis. 188v; roent. 208i  
 GAMMEXANE, 176r  
 GANGLION STELLATE, surg. 73p  
 GANGRENE, 12c; gas 136m  
 GARLIC, 110f, 148q, 148r, 230i  
 GASTOPTOSIS, 43d  
 GASTRECTOMY, compl. & seq. 72m, 114h, 202e; total 237i  
 GASTROINTESTINAL TRACT, cancer 39r; dis., ther. 98m, 115n; roent. 50f; ulcers 114q; war eff. 19k  
 GASTROSCOPE, patents 24p  
 GAUCHER'S DISEASE, compl. & seq. 59s  
 GENES, recessive 102q, 24b  
 GENETICS, 24b, 26h, 102a, 102f, 102h, 102i, 102n, 102u, 102v, 102w, 103a, 103f, 103r, 103v, 104c, 104d, 104m, 164p; human 26h, 116o; mechanism 63f, 103g, 103k, 103m, 104e, 104f, 104h, 104n, 104o; natural selection 101u, 102b; new systematics 26j; panicle morphol. 104q; soc. asp. 177k; statist. 101v; variation 103 103m, 103u  
 GENITALS, tuberculosis 112v, 179i, 179j, 179-1, 193p  
 GENITOURINARY TRACT, abnorm. 1k; infect. 134i; tuberculosis 157f, 159s  
 GERIATRICS, 75p  
 GESTATION, genetics 103g  
 GIARDIASIS, 213g, 238p  
 GINGIVA, dis. 137j, 169v; surg. 91b; tumors 169t, 170f  
 GLANDERS, 203g  
 GLANDS, preputial 205j; tuberculosis 159h  
 GLAUCOMA, 64-l, 64m; etiol. & pathogen. 139s; neurolog. aspects 65e; ther. 56n, 191b  
 GLOBULIN, gamma 148p  
 GLUCOSE, eff. 194q; intravenous 188p; phosphoric ester 100t  
 GLUTAMINASE, 149w  
 GLYCINE, intravenous admin. 95a  
 GLYCOGEN, in liver and muscle 46-l, 47-l, 173w  
 GLYCONEOGENESIS, 214m  
 GLYCOSURIA, renal 58-l  
 GLYCYRRHIZA, 47j, 47k  
 GOUTER, endemic 151q; prev. & contr. 125b; ther. 199q; exophthalmic 55c, 95r, 112a, 158h, 203h  
 GOLD AND GOLD COMPOUNDS, chem. 227h; eff. 76-l; ther. 15h, 58-l; tox. 45j, 134e, 209f,--anti-dote 213w  
 GONADOTROPINS, 124i, 198t, 239m  
 GONORRHEA, pathol. 79h; ther. 92k, 111h, 172-l 182l, 183h  
 GOUT, allergy 191a; endocrinol. 133r; etiol. & pathogen. 133s; genetics 173v  
 GRAMICIDINS, 221-l  
 GRANULOCYTOPENIA, 22n, 42b, 67u; chronic 127s; etiol. & pathogen. 33s; in child. 31d; ther. 122r; 158n, 182u, 195h  
 GRANULOMA, annulare 13k, 15q, 16c; chronic 17e, 91e, 91t, 169d; eosinophilic 14r, 17s, 46l, 46q; plasmo-cellulare 65b; pyogenicum 14v, 15r, 16p  
 GRANULOMA INGUINALE, 17k, 32s, 66k, 191u  
 GRANULOMATOSIS, Wegener 223f  
 GRAPHOLOGY, 194g  
 GRAY'S TEST, 49e  
 GRENZ RAYS, 172v  
 GROWTH, 108c, 174q; amino acids in 138m; exper. 82t, 182f, 204t, 207g; factors 43j; nutrition asp. 83m, 83n, 83o, 83p  
 GYNECOLOGY, 124i; congresses 124o; phys. ther. 136o  
 HABIT, 232e  
 HAIR, dis. 178m; fungous infect. 18f; growth 14n, 94i  
 Hairy TONGUE, 210c  
 HALLOWE'EN, 60s  
 HAND, burns 156c; keratosis 16t; prosth. 116n; surg. 209c; wds. & inj. 196e  
 HAPTOGLOBIN, 104u  
 HARELIP, 56s; hered. 2b; surg. 90w, 221f  
 HAVERHILL FEVER, 95i  
 HAY FEVER, Bogota 120i  
 HEAD, deform. 220q; wds. & inj. 132h,--menstrual eff. 180g  
 HEADACHE, 11w, 192r, 222d  
 HEALTH, 62v, 182v; Basel 93i; educ. 233k; resorts. 37i, 187d  
 HEALTH CENTERS, 70v  
 HEARING, 162a, 177a; eff. of drugs 47r; tests 47s  
 HEARING AIDS, 47n  
 HEART, abnorm. 68f, 122n, 188k, 201c,--congen. 84w; auric. fibrill. 6w; beat 165e, 177a; bradycardia 132q; embryol. 2b, 2c; function tests 204o; hypertrophy 84n, 111i; in athletes 68-l; infarct. 38p, 40b, 130r, 165f, 165i, 183n; insuff. 35q, 121-l, 165k, 174g; massage 38j, 111k; physiol. 54j, 56k, 58i, 165o; rhythm 56c; roent. 72g; surg. 122u, 207a,--indication 147q, 165g; tachycardia 81q, 123j, 200b; tumors 67-l, 109r  
 HEART DISEASES, 31g, 32e, 123h, 192q, 198v, 209c; congen., surg. 147q, 165g, 211d,--diag. 209q; occup. asp. 165q; pharmacol. 110o; progn. 114j;



- surg., appar. 75h; tuberculosis 98p; tumors, diag. 154s; vulvulus 44h; wds. & inj. 74j,113c
- INTESTINES, LARGE**, cancer 126q; pathol. 55e; surg. 73c,75g; tumors, 98n
- INTESTINES, SMALL**, abnorm. 189g; cancer 190m; carcinoid 38e; obstruct. 236u; roent. 97w,236a; tumors 39d,120e,127q,214a
- INTOXICANTS**, 131-1,131n
- INTUSSUSCEPTION**, 43m,48d,48e
- IODINE**, nutrit. asp. 190u; ointment 12r; radioactive 31m
- IODIPIN**, 61w
- IONIZATION**, in ophthal. 140e
- IONTOPHORESIS**, 126v
- IRIDENCELEISIS**, 64a
- IRIDOCYCLITIS**, 191b
- IRIS**, atrophy 123q,139w; tumors 63v
- IRON**, eff. 77m, ther. 28i,230m
- ISOTOPES**, 12h,177n
- IXODISM**, 45b
- JAUNDICE**, acholuric 87c; diag. 96p; etiol. & pathogen. 204i; hemolytic 40w,194i; hepatogenic 19c, 72i; human serum 202c, in inf. 68j; retention 50r; ther. 129p; transm. 110r
- JAW ORTHOPEDICS**, 92f,171v; appar., patents 24p; disloc. 73k; physiother. 169g; prognathism 128f
- JAWS**, abnorm. 91a,116i,123n; cysts 128e; tumors 65m,66o,171i
- JEJUNOSTOMY**, postop. care 201r
- JEJUNUM**, cancer 98q
- JOINT DISEASE**, 42q,134h, enerv. 156u, etiol. & pathogen. 36-1, hemophilic 208k, surg. 59o; synovial fluid 133n; ther. 39o
- JOINTS**, temp. 134c; tuberculosis 157a
- JURISPRUDENCE, MEDICAL**, 19p,132n,175o,175s, 175u; expert testimony 189o,189p; wds. & inj. 175p
- KAODZERA**, 158r
- KARAYA MUCILAGES**, 147w
- KELOIDS**, 237e
- KENNEDY'S SYNDROME**, 222-1
- KENNY, SISTER**, 130k
- KERATITIS**, 128-1; acne rosacea 128m; ther. 56o
- KERATOSIS**, follicularis 93-1,135u; palmaris et plantaris 173d
- KIDNEY**, abnorm. 79c,159v,239n; abscess 179d; artifi. 31-1,128d; calculi 47-1, cancer 189f; carbuncle 79e; cysts 239r, develop. 81j; dis. 33d, 107v,114i,196t; excis. 53u,201q,205a,239q, --compl. & seq. 53p; fat hyperplasia 79e; function tests 146n,173p; glutaminase 149w; hemorrh., ther. 128d, hypertrophy 53c; infarct. 145n; infect. 35v; insuff. 127v; pain 113-1,189b; physiol. 42w, 204b; roent. 48f; surg. 159b; tuberculosis 48f, 78m,221s; Wilm's tum. 144s
- KINESIOLOGY**, dent. aspects 162g
- KNEE**, dis. 48j,237f, surg. 204d; wds. & inj. 73h
- KNEE JOINT**, surg. 60d,155r
- KNOCK KNEE**, inf. & child. 144c
- KOREAN MORNING-GLORY**, 117v
- LABOR**, 27b,218p; anat. compl. 130i,730j; card. compl. 49-1,64c,124m,130w,180m,20-o,201p,203b, 210t; drugs 131a,131c,193k; induction 20i-1,124-1 presentation 27g,35-1,105b,212v
- LABORATORIES**, chem. 227j; technicians 107m
- LACRIMAL ORGANS**, abnorm. 123g; cysts 123v; surg. 139i; tumors 123t
- LACTATION**, diet 5b,174q, physiol. 100g,144n
- LACTOFLAVIN**, 26f
- LACTOMYRTIN**, 189u
- LACTUCA VIROSA**, 229-1
- LAMINECTOMY**, 132-1
- LARYNGITIS**, in inf. 55q
- LARYNX**, cancer 65u,120n,141-1,--radiother. 141k, 221a,--ther. 113j; edema 122-1; neuralgia 118-1; paralysis 111i; stenosis 78m,141i,221c; surg. 55w,56r; tuberculosis 78m,141-1; tumors 142b, 142e
- LATHYRISM**, 214k
- LEAD**, tox. 127c,194-1,233i
- LEARNING**, 134m,232a,232b,232c,232v,233a; exper. 231v,232c
- LEEUWENHOEK, ANTONY VAN (1632-1723)** 92c
- LEGS**, abnorm, ther. 210p; braces, patents 25g; flexion 20d; prosth., patei.s. 25q; surg. 73j; ulcers 12s,93a,238i
- LEISHMANIASIS**, 58i,187k,195-1,207u
- LENTIGINOSIS**, 172r
- LEONTIASIS**, 34d
- LEPROSY**, 14b,93p; blood in 208s; Holland 123i; hospitals 195d; neural 14b; ther. 46v
- LEPTOSPIRA**, bovine 182a; determ. 125j
- LETTUCE**, growth 163q
- LEUKEMIA**, 42r,53k; acute 97f,182-1,97g; aleukemic 17n, arthralgic 28g; chronic 97h; compl. & seq. 142t; exper. 206k; genetics 6a,178n; in inf. 225d; lymphatic 51n,182m; monocytic 116f,199k; myeloblastic 46e; myelogenous 14k,17o,213p; myeloid 158h; radiother. 234j; ther. 97-1,97n, 188c,197r
- LEUKOCYTES**, 28h,186m,191-1; in inf. 226c,226d; morphol. 107t
- LEUKONYCHIA**, 16n
- LEUKORRHEA**, ther. 37v
- LIBRARIANS**, training 180p,180q
- LIBRARIES**, pharmaceutical 180p
- LICE**, 50t; plant 150f
- LICHEN**, acuminatus 17p; diag. 14h; nitidus 15h; sclerosis and atrophicans 17s,172n,172u
- LICHEN PLANUS**, 15k,16t,17p; compl. 17r; diag. 13g; follicular 16t
- LICHENOID**, 93w
- LIPOCHONDRODYSTROPHY**, 68a
- LIPOIDOSIS**, 111q
- LIPOIDS**, 3u,3v,23-1,57n,194q
- LIPS**, elephantiasis 46u
- LITERATURE**, psychol. asp. 151d
- LIVIDO RETICULARIS**, diag. 15a
- LIVER**, abscess 175d,199b; acute yellow atrophy 137e; antithyrototoxic factor 24i; cancer 75-1,186u, 199b,199t; cirrhosis 127u,196j,199p,199t,--blood in 96n,--bone marrow in 96n,--compl. & seq. 56p, 99k; cysts 44j; dis. 121w,200n,--Gray's test 49e; edema 98b; fatty degeneration 47-1; flukes 238r; function tests 39c,39d,55-1,96o,108-1,173t,215r; histol. 81f,142h; Hodgkin's dis. 36n; insuff. 115n; necrosis 196o; needle biopsy 96m; pain 113-1; pathol. 46f; physiol. if. rupt. 74i,213o; surg. 48h, --compl. & seq. 211m,--Italy 125j; tumors 24f, 75c,188n; virus damage 99d
- LIVER EXTRACT**, coronary eff. 83k
- LOBECTOMY**, 74e,74h
- LOCOMOTION**, dis. 213f; physiol. 237u
- LORETO**, 43t
- LUGOL'S SOLUTION**, 53k
- LUMBOSACRAL FUSION**, 59n
- LUNGS**, abscess 54i,66u,73a,155d,155n,197f,213q; anat. 36n,155b; atelectasis 213s; blood supply 46o,73-1,215m; calcification 198u; cancer 113t, --sputum test 95d; cavitation 46h; cysts 56b,78v, 235c,236q; develop. 67-1; dis. 46o,207q,--diag. 47f,--in child. 112u,--ther. 109a,185g; edema 19s,22p; function tests 149b; hemorrh. 77s; in anesth. 149d; occup. dis. 41j; parasitic infect. 78b; roent. 72c,113c,235o; stenosis 122a; surg. 78s,157k,157q,185f,235i,235o,--compl. & seq. 155k; tumors 55i,74p,108n,208h,235p,235s,--diag. 54j
- LUPUS**, 12w,14e,15o; chilblain 46r; disseminatus



- 46r; photother. 14e; radiother. 16c; ther. 40l, 56t, 78p, 93i
- LUPUS ERYTHEMATOSUS**, 14g, 16r, 17q, 193t; acute 193s; diag. 13p, 13q, 15r, 16d; disseminatus 13k, 15i, 15h, 15j, --acute 13v, 112f, --diag. 13t, 16d, --subacute 12u, 13u, 15g; ther. 18a; tumidus 193s
- LYMPH NODES**, calcification 112e; histol. 1t; punct. 132t; roent. 31s; tumors 17t, 197r
- LYMPHADENOSIS**, 51n
- LYMPHOBLASTOMA**, follicular 38s
- LYMPHOCYTOSIS**, acute infectious 33o, 197s, 208t, 211c
- LYMPHOID TISSUE**, 206v; antibody determ. 95b
- LYSOZYME**, 19e, 179v, 179v, 181b, 181i
- MAGNESIUM**, carbonate 24t; nutrit. 138e
- MAIZE**, genetics 102n
- MALARIA**, blood in 146t; compl. & seq. 146u; diag. 125v; epidemiol. & statist. 47b, 158s; hist. 121k; in child. 146b, 146c, 146t, --statist. 224b; in Palestine 38b; in Rome 30n; pathogen. 55c; plasmodium 77d, 159q, 182d, 182e, --preserv. 95c; prev., Italy 30m; ther. 30-l, 30n, 30o, 76s, 121-l
- MANDIBLE**, cysts 170r; dysplasia 56v, 90v, 169r; process, fract. 171o; tumor 169v
- MARRIAGE**, medico-legal asp. 179g, 240e
- MASSAGE**, eff. 158d
- MASTITIS**, compl. & seq. 131v; in animals 24w
- MASTODITIS**, compl. & seq. 56n, 222g; diag. 202n; in child. 198t, 202n
- MATERIA MEDICA**, 68u, 228e
- MATERNITY**, mortal. 154b, 212q, 237n; overprotective 145g; welfare, in Ischia 179r
- MATHEMATICS**, psychol. 21f
- MAXILLA**, blood supply 170t; eosinophilic granulomatosis 186n; roent. 170k; tuberosity 170h
- MAYA**, idea 232h
- MEASLES**, 204e; compl. & seq. 61s, 146u, immun. 125d
- MEAT**, preserv. 219d
- MECHANOTHERAPY**, 217b
- MEDIASTINUM**, abscess 141n; cysts 235p; dis. 65n, 141o; tumor 39m, 112o, --diag. 54j, --surg. 236i
- MEDICAL CARE**, prepaid 53f, 53g, 75w, 105u; rural 218d
- MEDICAL EDUCATION**, curriculum 190b
- MEDICAL HISTORY**, 28w, 34o, 45p, 49h, 57e, 131n, 171v, 202c, 210d; in Columbus, O. 202c; in Siena 29a
- MEDICAL INDUSTRY**, Germany 176m, 176n
- MEDICAL RECORDS**, 136i, 218o
- MEDICAL SERVICES**, 41d
- MEDICINE**, 35o, 212n; atomic 234d; clinical 124t; economics 202i; ethics 202m; fashions 127a; in Gt. Brit. 209q; in Sweden 233q; in U. S. 209q; internal, diag. 36t; political asp. 64g; progress 124t; soc. asp. 123k, 193b; specialization 57p
- MEDULLA OBLONGATA**, wds. & inj. 142u
- MELANODERMA**, 164r
- MELANOSARCOMA**, pigment 208f
- MELANONYCHIA**, 94h
- MELANOSIS**, Riehl's 46p, 193v, 214-l
- MELENA**, 185t
- MENINGES**, cysts 61m; tumor 128n, 142w, 222h, --culture 46j
- MENINGITIS**, acute, ther. 39t; diag. 45f; in child. 227a; influenzal, ther. 125c, 143t, 195g; ophth. compl. 222k; otogenic 64q; purulent 147j; syndrome 114d; traumatic 201e; tuberculous 55m, 68h, 147h, 147j, 147n, --ther. 62m, 77t, 108k; with Klebsiella pneumoniae 56s
- MENINGOCOCCI**, infect., card. compl. 226p, --ther. 205q; toxin 182d
- MENINGOENCEPHALITIS**, 196d, 200r; postvaccinal 33g
- MENISCUS**, dis., ther. 114d
- MENOPAUSE**, 179p; compl. & seq. 104t
- MENSTRUAL CYCLE**, respiration 69s
- MENSTRUATION**, 201g; dis. 105i, 121m, 127d; endocrine asp. 33i; psychol. asp. 218j; toxin. 22o; vicarious 78v
- MENTAL DEFICIENCY**, 19t; in child. 61s, 109c, 172r
- MENTAL DISEASES**, 62p; ther. 45h
- MENTAL HYGIENE**, 70c, 134p, 134q, 134r, 217n, 232o; clinics 217r; indust. 151i
- MENTAL TESTS**, 70b, 70h, 137n, 137o, 137q, 150n; Muench 150q; security 232p
- MERSALYL**, exper. 149u
- MESANTOIN**, eff. 40h
- MESENTERY**, cyst 236h; vascular occlusion 127n
- METABOLISM**, 175k, 192q; antagonism 128u; determ. 137-l, --in animals 4o; exper. 149i; respiratory 164i
- METAGENESIS**, 115f
- METAMORPHOSIS**, 60q
- METATARSUS**, surg. 237a
- METHADON**, 81q
- METHANOL**, tox. 229r
- METHERGINE**, in obst. 53g
- METHIONINE**, eff. 204w
- METHYL-BIS AMINE**, 97m
- METHYL CHLORIDE**, tox. 41-l
- METHYLCHOLANTHRENE**, eff. 66e
- METHYLTHIOURACIL**, ther. 72o
- MICROBIOLOGY**, 23j
- MICRO-HIRST TECHNIQUE**, 31s
- MICRO-ORGANISMS**, 163b; growth & develop. 37d
- MICROPHOTOGRAPHY**, appar. 23f
- MICROSCOPY**, 23g, 140s, 159g; electron 22p, 23m
- MICROSPORON**, audouini 18f
- MICROWAVES**, 207n
- MIDWIVES**, 105u
- MIGRAINE**, ophthalmic, ther. 138w; ther. 46a; tonoscopy 222h
- MIKULICZ' DISEASE**, 34a
- MILITARY MEDICINE**, 216r; casualty evacuation 126k; 216k; hist. psychiatry 2w, 217t
- MILK**, 28s; acidity 219f; analysis 153t; hygiene, Buenos Aires 198r, --Germany 121c; banks 143r; human 5b, 43c; physiol. 28q; secretion 138h; ther. 28t
- MINERAL OIL**, eff. 151o
- MINK**, parasites 82n
- MINNESOTA MULTIPHASIC PERSONALITY INVENTORY**, 150k, 150-l, 150m, 150o
- MITRAL VALVE**, roent. 42i
- MITOSIS**, eff. of caffeine on 1h
- MOLYBDENUM**, ther. 97e
- MONGOLISM**, hair line 26m
- MONILETHRIX**, 16u
- MONILIASIS**, 46u; bronchopulmonary 235q; cutan. 13i
- MONOCYTES**, in pneumonia 215p
- MONOCYTOSIS**, 34i
- MONONUCLEOSIS**, infectious, compl. & seq. 66m, 97s, 99c, 109f, 214d
- MONSOONS**, ophth. eff. 219r
- MONSTERS**, 27n, 143m; cephalic 28c; double 110e
- MONTAIGNE, MICHEL**, DE. 43i
- MONTEFIORE HOSPITAL**, home care 83w
- MORDANTS**, determ. 230k
- MORGAGNIS SYNDROME**, 212e, 212g
- MORPHEA**, 16f
- MORPHINE AND DERIVATIVES**, 195o; in child. 224f
- MORPHOLOGY**, comparative 142k
- MOTILITY**, syndrome 136c
- MOTION SICKNESS**, exper. 149g
- MOUTH**, blastomycosis 131g; cancer 113q, --ther. 51-l; cysts 169w; dis., ther. 90s; hyg. 171c; pemphigus 14-l; surg. 11u, 11v; syphilis 170u;



- tuberculosis 209g; tumor, in child. 91-1
- MOVELLAN, 62a
- MOVEMENTS, 233b; disord. 48g; reactive 51; physiol. 5h
- MUCOCELE, 65b
- MUCODEN, ther. 49s
- MUCOUS MEMBRANE, inflamm. 112c; tuberculosis 141m, 141n
- MUSCA, 176c
- MUSCLES, abductor pollicis, abnorm. 81g; blochem. 149h; hypoglossal 1j; metab. 39i; physiol. 60g, 149g, 198d, 238g; rectus abdom. 27w, 185s, --rupture 129v; serratus, paral. 33t; smooth, physiol. 183c; striated 95n, 163t; tuberculosis 36-1
- MUSEUMS, health 209g; in U. S. 175w; specimens 195w
- MUSIC, ther. 135a
- MUSSELS, tumor 84d
- MUSTARD OIL, chem. 69f
- MUTANTS, 102t
- MUTATION, 6a, 102k; bact. 103f; exper. 6c; protozoa 103d; single gene 102p
- MYANESIN, ther. 119k
- MYANESIS, 161g
- MYASTHENIA GRAVIS, diag. 109r
- MYCOBACTERIUM LEPRAE MURIUM, 182g
- MYCOLOGY, med. 94c
- MYCOSIS, 184e; fungoides 12u, 16e, 17c, 17o, 92r, --diag. 14p, --exper. 173g, --ther. 13c
- MYELITIS, compl. & seq. 135s; etiol. & pathogen. 122m; neuro-optic 33r
- MYELOGRAPHY, 61w
- MYELOSIS, funicular 38s; ther. 59t
- MYOCARDITIS, 34g
- MYOCLONUS, 208d
- MYOPIA, 220a; in Formosa 219t; visual training 139a
- MYOSITIS, exper. 40r; ossificans 27w
- MYXEDEMA, 36h, 209n; etiol. 215w
- NAILS, dystrophy 17g; eczema, occup. 94f; fungus infect. 17v, 193s; loss of 16i; tumors 17g
- NANISM, compl. & seq. 210f
- NARCOANALYSIS, 100o, 116s; tech. 130h
- NARCOSIS, 187w
- NASOPHARYNX, dis. 191o, 191r; tumor 141-1
- NAUSEA, ther. 41g
- NAVAL MEDICINE, in Poland 49f
- NECK, deform. 220q; surg. 56c; wds & inj. 19u
- NECROSIS, aseptic 59s; in newborn 41p; ther. 66c
- NEGROES, 232s
- NEOCONESSINE, 227s
- NEOSTIGMINE, eff. 179f, 187q
- NEPHELOMETRY, 196u
- NEPHRITIS, 57c, 179d, 107q; exper. 39a; glomerular; etiol. & pathogen. 66q, --in child. 67q; hered. 6s
- NEPHROSIS, in child., blood in 144m; lower nephron 51f, 95g
- NERVES, alveolar spur. 12n; anatom. 1r; blocking 6-1, --exper. 231-1; dis., radiother. 234g; endings 21j; facial 195v; femoral 74w; fibers 81e, 81n; histol. 65d; laryngeal, surg. 72p; obturator 74w; olfactory 70q; peripheral 120q, --inj. diag. 119j; phrenic 77i, --crossed 149c, --surg. 50j, 55u, 55v; physiol. 25u, 35f, 110h; sciatic 60v; spinal 81k; splanchnic 122a, 198k; staining 23e, 23h, 215g; trigeminal 45k; vagus 187t, 235j; vestibular 5m; wds. & inj. 200v
- NERVOUS SYSTEM, allergy 132d; central 62k, 62-1, --allergy 227a, --conversion processes 150g, --eff. of drugs on 57w, 187q, --histol. 62-1; dis. 61-1, 129c, 187m, 198k; embryol. 2h; peripheral, tumor 208g; physiol. 182m, 186i; surg. 181o; teaching 110f; tumor 189g
- NERVOUS SYSTEM, AUTONOMIC, electr. inj. 132g; shock ther., eff. 61j
- NERVOUS SYSTEM, SYMPATHETIC, 194n; blocking 129t, 173d; tumor 147o
- NEURALGIA, 35q, 63d, 114r; cervico-brachial 43q; facial, atypical 156q
- NEURASTHENIA, in female workers 35r
- NEURITIS, multiple, psychology 39v; optic 123h, 140q; retrobulbar 95n
- NEUROFIBROMA, 52j; culture 46j
- NEUROFIBROMATOSIS, 38d, 188m
- NEUROGLIA, pathol. 62i
- NEUROLOGY, 202-1, 212c; ophth. asp. 222i, 222j; ther. 39v
- NEUROSES, 232s; diag. 222e; constitution 135t; diag. 222e; ther. 61h; transference in 135p
- NEUROSPHISIUS, 217p, cerebrospinal fluid 42a; pathogen. 62h
- NEVUS, 32f, 123p; diag. 16g, 16h; itching 46w; papillomatosis 15s; pigmented 220c
- NICOLAS-FAVRE VIRUS, microscopy 29u
- NICOTINIC ACID, 56n, 140q, 164i, 182f
- NITRILE, malono. 178f
- NITROBENZENE, tox., ther. 111w
- NITROGEN, balance 75k, 138i; determ. 57v, 107j; metab. 74t; mustard 95b, 108j
- NOISE, 132w, 161u, 162a, 181q
- NOMA, 90r
- NOMENCLATURE, dent. 12-1, 12m; med. 171-1
- NORADRENALINE CARBOXYLIC ACID, 227r
- NOSE, anat. comp. 81d; calculi 65t; cerebrospinal discharge 201e; dis. 34s, 197a, 221-1; discharge 221v; exam. 141g; fract. surg. 141d; mucosa 197k; plast. surg. 90u
- NOVOCALINE, intravenous 113-1
- NUCLEIC ACID, metab. 1m
- NUCLOPROTEIN, metab. 133r
- NURSES AND NURSING, 106s, 116-1, 136f, 136v, 233h; educ. 63a, 136e; psychiatric 136s, 217r; public health 56p, 71a, 71b, 136q, 240j
- NUTRITION, 19g, 138b, 190u, 233d; blood exam. 153c; defic. 210m, --eff. 130c, 149r, 182q, 215t; determ. 137n, 137p; dis. 142c; electronic cooking 174p; exper. 47-1, 209r, 231c; in child. 138c, 208p; Japan 152m, 152v; in Netherlands 56g; index 137k; ophth. asp. 184b; otolaryng. asp. 184b; parenteral 94s; protein 138r; psychosomatic asp. 70o; statistics 138b
- NYCTALGIA, 120d
- NYSTAGMUS, 64s, 64t
- OBESITY, eff., in renal diabetes 35c; ther. 191c, 196n
- OBSTETRICS, 46d, 209-1; haptoglobin in 104u; in history 136v; ther. 130t, --phys. 136o
- OCCUPATIONAL THERAPY, 217r, 238d, 238f; in child. 238c
- OILS, stability 148c, 228q; essential 229h
- OLD AGE, 178r, 178u, 178v; physiol. 178r, 178s, 178w; rehab. 238d
- OLEOLYSIS, 29s
- OMENTUM, surg. 122u
- ONIONS, pharmacology 68v
- OPHTHALMIA, 139e; newborn 71c; nodosa 139e; sympathetic 140a
- OPHTHALMOLOGISTS, 187s
- OPHTHALMOLOGY, appar. 220o
- OPHTHALMOSCOPY, 123 i
- OPIUM, addiction 52g
- OPTICAL INDUSTRY, in Benelux countries 140t
- OPTICS, physiol. 139k, 139-1
- OPTOMETRISTS, 187s
- ORBIT, pathol. 57a; tumor 123s
- ORGANIDIN, 53k
- ORTHOPEDICS, 51j, 181p; appar. 23a
- OSTEITIS, deformans 64a, 216n; fibrosa 197i
- OSTEOCHONDRITIS, deformans juvenilis 59r
- OSTEOLYSIS, 55n

- OSTEOMYELITIS, in child. 125c; syphilitic 94d;  
ther. 59v,202s  
OSTEOPATHY, U. S. 50g  
OSTEOPETROSIS, 145f  
OTTITIS, 94j; media 116k,--in child., roent. 202n,  
--ther. 121q,221k; tuberculous 42u  
OTORHINOLARYNGOLOGY, ther. 65h,141g,221m,  
221t,221v  
OTOSCLEROSIS, surg. 57m,65q,141v  
OVARY, abscess 124-l; cancer 27r,209j; cyst 55r,  
83s,121m; embryol., exper. 1m; hormones 199c;  
physiol. 188i; transplant. 104c; tumor 27j,40v,  
105p,142n  
OVINIA, human 29i  
OVULATION, 124q; determ. 105g  
OXIDATION-REDUCTION, 127m  
OXIDASE, 5d  
OXIMETER, 185-l  
OXYGEN, 161w; appar. 25h; defic. 2u,69p,69w,149c,  
161q,161r,206e; ther. 216f  
OXYQUINOLINE, eff. 96r  
OZON, ther. 140e,186b  
PACIFISM, psychol. asp. 232q  
PAGET'S DISEASE, ther. 59t  
PAIN, 189q; abdom. surg. 35r; ther. 161m; viscer-  
al 236d  
PALATE, cleft 56s; tumor 169t  
PALMS, erythema 13g  
PALUDRINE, 227s,227w; eff. 228a,228b,228c  
PANCREAS, 176a; cancer 187r; cysts, in inf. &  
child 67v; diag. 118q,118t,122j; insular tissue  
143j,223n; necrosis 47-l; physiol. 231d,--secre-  
tin test 99g,99h  
PANCREATIC DUCT, roent. 156j  
PANCREATITIS, 99f,191p  
PANMYELOPHTHISIS, 188c  
PANNICULITIS, nodular 13w  
PAPER, pub. health asp. 71e  
PAPILLITIS, arteriosclerotic 140m  
PARABIOSIS, 103p,223a  
PARACHOLERA, 46d  
PARAKERATOSIS, psoriasisformis 46v  
PARALDEHYDE, eff. 208o  
PARALYSIS, 75q,188m,224-l,238a; brachial 191d;  
cerebral, ther. 60b; etiol. & pathogen. 193e; fa-  
cial 128k; femoral, surg. 59-l; general 92j,200r;  
spastic, ther. 37u; thoracic 33t  
PARAMYOCLONUS MULTIPLEX, 39e  
PARAPLEGIA, myxedematous 33r  
PARAPSORIASIS, 15t,17n  
PARASITES, 121e,121f  
PARATHYROID, 197n; dis. 33e; hyperfunction 127v,  
--pseudo 96d; in bone grafting 81-l; surg. 155p;  
tumor 75i,111r  
PARENTHOOD, soc. aspects 119i  
PARINAUD'S SYNDROME, 222m  
PARKINSONISM, 62j,122a  
PARONYCHIA, 13k  
PAROTID GLAND, tumor 141e,195v,221p  
PAROTID REGION, tumor 143b,--pathol. 142q  
PAROTITIS, 34a; compl. & seq. 187m,191n,197u;  
ther. 141v  
PARTHENOGENESIS, 103c  
PATELLA, disloc. 73m,214k  
PATHOLOGY, 32b,142j; clinical, Texas 212p  
PATIENTS, rural 218d  
PECTIN, 219d  
PEDIATRICS, 145k,161-l,189v,191f,208m,211m;  
appar. 24q; diag. 146f,147s; in tropics 137d; lo-  
gopedics 68o; mortal. 110v; surg. 237o; training  
36v,48t  
PEDODONTICS, 91m; cements 91k  
PELARGONIUM, inf. 30a  
PELLAGRA, cardiac compl. 31m; in child. 40b  
PELVIS, fract. in labor 203b; inflamm., surg. 157h;  
pain 121m; tumor 156w  
PEMPHIGUS, 13b,13n,13t,15-l,15m,16h,16j,16k,116e,  
172p; diag. 15-l,17i; remission 16j,16-l; ther.  
93u,94i; vegetans 16m  
PENICILLIN, 36p,119s,143t,209s; admin. & dos.  
42b,108e,108f,119j,228o,236o; blood concentration  
42c; depot 92-l,--eff. 183g,--ther. 92k,--tox.  
75d; dermat. asp. 92i; determ. 54g; diag. 37c;  
eff. 37d,49r,56n,76h,110p,206h,206n,206o,211w,  
215d,222v; hist. 115j; in child. 143q; intraspinal  
92j; metab. 95j,215r; ophth. asp. 220m; otorhino-  
laryng. asp. 141a,141t; research 93j; standard  
223r; ther. 11v,13c,17w,18b,18j,33a,37a,39v,41f,  
50b,55t,61v,63p,63q,63r,63t,63v,92i,92j,92p,93u,  
94i,106d,109e,114b,115v,116d,121j,129w,144i,144j,  
144q,157a,158-l,158n,159s,170q,172j,172-l,183h,  
183i,184m,194e,213i,228n,--roent. 72d; tox. 172z,  
214o  
PENIS, cancer 185w; erection, prev. 75b; indura-  
tion 234h; surg. 239h; tuberculosis 239s  
PENTOSE, 5o  
PEPPERMINT, 228j  
PEPTIC ULCER, 32t,97v,98t,115-l,118r,118s,123c,  
174j; diag. 124s,196o; etiol. & pathogen. 200d;  
hemorrh. 98i; in child. 45d; perforation 198m,  
201p; postop. 116d; prev. 207k; roent. 98a; se-  
cretion 96g,98r; surg. 30w,32r,52u,72m,114q,  
235j,236k; ther. 47j,49s,126j,190k  
PEPTIDES, cyclic 178h  
PERIARTERITIS, nodosa 45i,46-l,93v,188e  
PERICARDITIS, 31k,34g,211k; constrictive 57c,  
235r; etiol. & pathogen. 207s  
PERICARDIUM, cysts 118m; surg. 73b,195i; tuber-  
culosis 207s  
PERINEPHRITIC, ABSCESS, 159-l  
PERINEUM, cancer 28b,104r  
PERIODONTITIS, 90m,91q; in child. 170g  
PERISTON, exper. 143-l  
PERITONEUM, large ther. 144p; tumor 122i  
PERITONITIS, 189c; compl. & seq. 117i; etiol. &  
pathogen. 44i,216m; ther. 200a; tuberculous,  
ther. 35m  
PERMACHLOR, eff. 13k  
PERSONALITY, 177j,151f,218k; disord. 135-l,135n;  
in pulmonary tuberculosis 134t; psychopathic  
20o,--ther. 100p; tests 150j,232n,232r  
PERSONNEL, management 177e  
PESTS, destruction 25k,154f  
PHAGOCYTES, 77-l  
PHARMACOLOGY, 48r,129e,227i,229a  
PHARMACOPEIA, German 69j; British 137b,228-l;  
Swedish 57h; Swiss 69g,148j,148m  
PHARMACISTS, economy 230n  
PHARMACY, 227g,230b,230m,230o; chem. 177c;  
exhibits 148h; exsiccators 148o; in Lima 148f;  
laws, Germany 148g; Sweden 228h  
PHARYNX, divertic. 141c; tumor 221o  
PHENOCOPIES, prod. 104b  
PHILIPPINE FOWL DISEASE, 201u  
PHILIPPINE ISLANDS, easter 148k  
PHLEBITIS, 50-l  
PHONENDOSCOPE, 44b  
PHORIA, 138v,220g  
PHOSPHATASE, 227m; alkaline 4v; blood serum  
38h  
PHOSPHORUS AND COMPOUNDS, eff. 102r,207g;  
metab. 231f; radioactive 207c  
PHYSICAL EDUCATION, Indiana 154e  
PHYSICAL EXAMINATIONS, legal asp. 240c  
PHYSICAL EXERCISE, app. 24r  
PHYSICAL MEDICINE, 169g,211j; gyn. & obst.  
136o; in child. 238c; in Czechoslovakia 158e;  
psychosomatic asp. 158c

PHYSI  
212  
hea  
PHYSI  
PHYT  
PIGM  
PIPER  
PITUI  
exc  
198  
100  
PITUI  
inj.  
PIT Y  
14-  
PLAC  
det  
140  
PLAN  
PLAN  
box  
PLAS  
PLAT  
PLAY  
PLEIC  
PLEU  
38i  
PLEU  
PNEU  
PNEU  
PNEU  
PNEU  
44j  
PNEU  
gen  
PNEU  
PNEU  
PNEU  
145  
chi  
the  
PNEU  
PNEU  
18  
cor  
18  
spe  
PODO  
POIK  
19  
POIS  
bo  
POIS  
POLI  
23  
ep  
20  
ha  
13  
POLI  
POLI  
POLY  
14  
POLY  
POLY  
POLY  
POP  
POT  
PRE  
co  
21

- PHYSICIANS, 200-1,233c; Colorado 53h; employed 212n; female 120k; German, economy 212m; health 202h; Poland 123b; U.S. 190u
- PHYSIOGNOMY, Greece 210k
- PHYTOSTEROL, eff. 42c
- PIGMENT, 176r; cutan. 16f
- PIPERIDINE AND COMPOUNDS, 198g
- PITUITARY GLAND, calcif. 127i; dis. 136a,196-1; excis. 204t,--exper. 164k; hormones 24d,100f, 198t,207f,230v,231b; radiother. 212c; tumor 38v, 100-1,209b
- PITUITARY PREPARATIONS, extract. 131a; eff. inj. 203c; in dwarfism 95s; standard 227f
- PITYRIASIS, lichenoides 15d; rubra pilaris 14f,14g, 14-1,16g,94h
- PLACENTA, 1q,1v; accreta 215k; ammonia in 53v; detach. premature 105-1; permeability 4q; ther. 140j; praevia 110i,131d,237k
- PLANTS, dis. 163o,--virus 163n; physiol. 26c
- PLANTS, MEDICINAL, 229c,229v; anemone 227h; box 76r
- PLASMAGENE THEORY, 6b
- PLATYPOECILUS, 164e
- PLAY THERAPY, psychosom. asp. 134w
- PLEIOTROPISM, 104a
- PLEURA, 73u; dis. 235g,--ther. 36v,112c; effusions 38r,45t; tuberculosis 159a
- PLEUROPERICARDITIS, 114h
- PNEUMATOSIS, roent. 72d
- PNEUMOCARDIOGRAPHY, 165p
- PNEUMOCOPHALUS, 127o
- PNEUMOCOCCI, 162n,162p,162q,223c,224c; infect. 44j
- PNEUMOCOCCOSES, 78a; compl. & seq. 45b; pathogen. 107h; prev. & contr. 50h,126s
- PNEUMOGRAPHY, cerebral 19t
- PNEUMONECTOMY, 73a,73b,74e,74h; indic. 74a
- PNEUMONIA, atypical 31u,209d,215p,234v; cheesy 145e; compl. & seq. 119v,215a; congen. 67r; in child. 40g,146g,224e; interstitial 234f; lobar, ther. 205q; pathol. 194p; ther. 146g
- PNEUMOPERITONEUM, 235a
- PNEUMOTHORAX, 4a,4b,31b,31h,50o,78c,78s,78u, 183d,184-1,184w,214t,234v,235i; appar. 55a; compl. & seq. 44m,78s; extrapleural 157p,184o, 184v,185a,185b,185c,185e,--compl. & seq. 185d; spontan. 157b
- PODOPHYLLUM, 93c,93g
- POIKILODERMA, atrophicans vasculare 16a,17o, 193r
- POISONING, anthelmintic 188d; Berthelot 20f; carbon tetrachloride 154-1; in child. 144b; lead 30e
- POISONS, 41r; nutritive 131m
- POLIOMYELITIS, 111j,115i,192e,200j,224k,233o, 233p; apparatus 68o,176o; encephalitis 147f,193e; epidem. 71d,108g,145o,147m,214t; immun. 182b, 205n; laryng. asp. 220s; pathogen. 142r,142v; rehab. 217e; respiration 188r; surg. 59-1; ther. 135u,147k,193o,223v; transm. 200j
- POLLEN, counts 35n
- POLLINATION, by bees 150c
- POLYARTHRITIS, in child. 146b; non-rheumatic 146j
- POLYDYSTROPHY, Huerler 143v,143w
- POLYMYSITIS, 55p
- POLYNESIANS, dance 82h
- POLYTHENE, in child. 136-1
- POPULATION, 189t; statist. 115d
- POTASSIUM AND COMPOUNDS, blood 108u; eff. 5n, 108v; ions 5o; metab. postop. 236u; tox. 108t
- POTATO, virus dis. 163-1,163m
- PREGNANCY, blood 47m,97e,107s,173q,201g,201h; compl. 40v,45g,49-1,105d,106c,111i,179q,201q, 212s,214c,--surg. 35v,157j,192b,--tumor 124m, 142n; diag. 27k,106b,127i,179e,179f,195m,197t, 203p; duration 180e,180-1; ectopic 105c,129d, 179n,191t,201m,201n,237p,237q; eff. of minerals 106a; exercise 116g; glucose tolerance 173u; heart 180k,210t,211b,212i; hormones 188g; interrupt., eff. 105a; pelvis rupture 180j; simulated 20f; spondylitis 133h; toxemia 43f,123a, --prev. 35j; urinary tract. 35u
- PREMARITAL EXAMINATIONS, 125c
- PREVENTIVE MEDICINE, 116e,211j,216s
- PRISONS AND PRISONERS, tuberculosis 77v
- PROCAINE, exper. 4t
- PROCTOLOGY, cancer 192c
- PROFLAVINE, 183c
- PROGESTERONE, exper. 4m
- PROMIN, ther. 46v,77u
- PROMONTORY FIXATION, 27s
- PROPIONBACTERIUM, 163c
- PROPIONIC ACID, 163c
- PROSTATE, anat. & histol. 1h; cancer 32m,36d,46b, 55g,113s,132p,183k; exam. 239i; hypertrophy 34n; ther. compl. & seq. 67g
- PROSTATECTOMY, Millin 125p,126-1; perineal 113v,239o; retropubic 48k,123d,127u; transvesical 48j
- PROSTHESIS, adhering 23c; regress 47n
- PROSTIGMINE, 27k,46a,57w
- PROSTITUTION, 55k,187-1,199f
- PROTEINS, 26e,30t; admin. & dos. 72s; chem. 163w; defic. 7o,74n; diet 121a; gelatinization 29n; hydrolysates 39b,96-1; metab. 96u,138o, 138p,205a; ther. 109c
- PROTEINURIA, exper. 149t
- PROTEUS, group 66m; infect. 50p
- PRURIGO, Hebra's 18g
- PRURITUS, 17o,113n; theo. 196-1
- PSEUDOXANTHOMA, elastica 15c
- PSITTACOSIS, virus 205c
- PSORIASIS, 17r; compl. & seq. 93b; diag. 15k,15t; etiol. & pathogen. 172j; ther. 18e,203o; urine in 93b
- PSYCHIATRY, 212c,216j,217t; biolog. asp. 217m; in epidemiol. 134p; indust. 217s; progr. 217-1; rehab. 114f; research problems 134s; training 151h,217u
- PSYCHOANALYSIS, 129g,218i; educ. asp. 134n; in hosp. 135c,135d
- PSYCHOANALYTIC TOPICS, artistic experience 135n; concentration 135o; Kilroy 60r; life 135m; matricide 135m; nothing 135o; reality 135o; sex 60r
- PSYCHOLOGY, 70p,133c,134m,135r,218a; comparative 231v,232c; exper. 232u,232v; hist. 232g; statistical methods 70p; social 232o; tests 70d, 70e,70f; vocational 70r
- PSYCHOMETRICS, 217n
- PSYCHOPATHOLOGY, social 217t
- PSYCHOSES, depressive 135e; electroshock ther. 135v
- PSYCHOSOMATIC DISEASES, 181n,188q,192q
- PSYCHOSOMATIC MEDICINE, 40e,96e,109b,126m, 217o; in child. 213-1
- PSYCHOTHERAPY, 115f,135b,135g,150r,217o,217q, 218e; social asp. 150r
- PSYCHOSURGERY, 52e,106m,114n,192k,192-1; epilepsy 192k; mental defic. 135i,135j; postop. hemiatoma 192i; results 190-1,192g,200u; tech. 130e, 192f,192h,192j
- PTEROYLGLUTAMIC ACID, 205e,206i
- PTERYGIUM, surg. 113f,139g
- PUBLIC HEALTH, 71f,116e,154p,190s,233s; centennial 70u; cooperation 154p; eff. of currency reform. 154o; in Alaska 106t,--Argentine 210v, --Canada 70v,--District of Columbia 196b,--Edinburgh 136m,--Germany 151p,--Reykjavik 195c,

- Sweden 233q; --U. S. 116q,217i; infirmaries 56p; rural 53h; social security 192f; training 70w
- PUERPERIUM, care 212s,212v; compl. 27-1,49-1; fever 37r,183a; physiol. 76k
- PULSE, 178r,178w
- PURPURA, 173d,188o; diag. 17m; exper. 97p; hemorrh. 38g,109f,111i; --surg. 114f; rheum. 46r,52j
- PYELITIS, 79b; cystica 155r
- PYELOGRAPHY, 189b
- PYELOPHLEBITIS, 129q
- PYLORIS, stenosis 185t
- PYODERMA, 17i,120o
- PYRIBENZAMINE, inj. eff. 172p
- PYRIDINE, 214v
- PYRIDOXINE, 37p,147q
- PYRROLE, ther. 228s
- PYRROLIDONE, polyvinyl 143-1,158-1
- Q FEVER, blood in 154m; exper. 82-1; in Germany 36r; --S. Calif. 154k; stat. 38i
- QUARANTINE, 162b
- QUINDINE, 126u,191n,231o
- QUININE, 182e,231o
- QUINONE, 227u
- RADIATIONS, 132c; counting system 72a; genetic eff. 26-1; inj. eff. 37p,111c,128h,207n,246p; sensitivity 234d
- RADIOACTIVE ELEMENTS, 12h,21s,69b,177c; arsenic 97n; in cancer 164u; iodine 31m; sodium 119e
- RADIOGRAPHY, sectional 31f
- RADIOTHERAPY, 131d,214u,234p,234q,234s
- RADIUM THERAPY, 191o,191r; inj. eff. 16a
- RATS, psychol. asp. 231v
- REACTION TIME, 232j
- RECKLINGHAUSEN'S DISEASE, 111r; in pregnancy 113a
- RECTAL SPRAYER, patents 25d
- RECTUM, cancer 45v,51h,113s; --surg. 210b,236-1, --ther. 115m; dis. ther. 98k; obstruct. 57k; strict 68j; surg. 51h; tuberculosis, surg. 157u
- REFLEX, 47d,149e; aural 220v; Bechterew-Mendel 62p; conditioned 232p; patellar 231k; plantar 61t; rooting 67q; Rossolimo's 62e,62f
- REFRIGERATION, 176a
- REGRESSION, 135r
- REHABILITATION, 190r; chronic sick 136j; geriatric asp. 75o,75p; psychiatric 238e; surg. 63b; tuberculosis 49o
- REITER'S DISEASE, 94n,173j,184b; ther. 94c
- REPRODUCTION, diet 174q; endocrinology 1d
- RESEARCH, 177b; biological 210i
- RESINS SYNTHETIC, dent. 171h,171r; tox. 170p
- RESPIRATION, 58k,161t; appar. 25i,25j,25-1; dis. roent. 130s; electrocardiography 109-1; exper. 2t,3c; physiol. 69s,84t,198w,230t; quotient 137m
- RESPIRATORY TRACT, cancer 65t,155g; dis. 203r, 221q,235d,235g
- RESUSCITATION, appar. 24u
- RETICULOSIS, 33-1,93n,120t,196w
- RETINA, angiomatosis 124a; blood vessels 63u, 123n; tumor, malignant 211s; detached 32p,123m; dis. 64e,64n,140n,220r; --psychosom. 53b; exam. appar. 139n; pigment 123p,128p; siderosis, diag. 139n
- RETINITIS, diag. 140i; pigmentosa 207w; ther. 140j
- RHEOSTOSIS, 107u
- RHEUM, ther. 230-1
- RHEUMATIC FEVER, 30w, acute 97a; atypical 133j; blood in 198r; cardiac compl. 34g,35w,137a, 198o; in child. 146o,146q; pathol. 133i; prev. & control 114a,233g; serum in 134b; ther. 134j
- RHEUMATISM, 113m,127i; aspects 75s; compl. & seq. 56a; eff. on brain 46m; etiol. & pathogen. 145r,145t,183u; --baileol. 146o,146q; histochem
- 134g; in child 145q,145s,145t,145v,145w,146k, 146-1,146n,146r; Mester reaction 63-1,204h; muscular 195a; physiol. 133w; plasmalain 133n; ther. 75r,133o,146r,215g
- RHEUMATISM, ther. 75r,133q,146r,215g
- RHINITIS, atrophic 189g
- RHINORRHEA, ther. 119k
- RHINOSCLEROMA, ther. 213a
- RIBOFLAVIN, 174r
- RIBS, calcif. 96d; surg. 237m
- RICE DIET, 33d
- RICKETS, 196t,227k
- RIGIDITY, 61i
- RINGWORM, 12r,15p,200p,233s
- RITTER'S DISEASE, ther. 144q
- ROCKY MOUNTAIN SPOTTED FEVER, ther. 67o, 211g
- RODENTICIDES, 233m
- ROENTGEN RAYS, appar. 216h; diag. 181o; eff. 103r,104e,104n; --inj. 24g,142m; --on blood 95c; exper. 84f; indust. 128g
- ROENTGENOTHERAPY, 154u; high voltage 128h, 128i
- RORSCHACH TEST, 150k,150-1,150m
- ROYAL COLLEGE OF SURGEONS OF EDINBURGH, MUSEUM, 114p
- RUBELLA, 188k,188t,204e; compl. & seq. 68c
- RUTIN, ther. 13e
- SACRUM, tumors 155w
- SALICYL COMPOUNDS, acetylsalicylic acid 121n eff. 130b; metab. 97a; para-amino salicylic acid 50r; sodium salicylate 44s; ther. 30r; tox. 193c
- SALIVA, biochem. 92e
- SALIVARY GLANDS, dis.,215t; fistula 53o; surg. 236c; tumors 65k
- SALMONELLA, aertrycke 20h; infect. 162v; thyroid infect. 181g; types 181v; typhimurium 29q
- SALT INDUSTRY, China 106g
- SAPONIFICATION, 228v
- SARCOIDOSIS, 14w,46h; diag. 14m,16q,16w,17q,66b, 92n,93r,111q,112n,124t; etiol. 92o; exper. 92q; immunology 92m; ther. 185q
- SAUSAGE, adulteration 218v
- SCABIES, 3m,12u; ther. 44a,93e
- SCALP, dis. 116b
- SCAPHOID BONE, fract. 208f
- SCARLET FEVER, 216v; compl. & seq. 145t; epidemiol. 52r,203j; ther. 50b,144i,144j
- SCHAMBERG'S DERMATOSIS, 93v
- SCHUEERMANN'S DISEASE, 223o
- SCHISTOSOMIASIS, surg. 191j
- SCHIZOPHRENIA, 32h,32i,62a,218i; art. asp. 116r; catatonic 61q; diag. 61q; drugs 205k; in child. 32i,200u; learning 151c; pathol. 32j
- SCHOOLS, hyg. 152c; in hosp. 136m; med. serv. 233e; --Indiana 154d; --Switzerland 152b,152c
- SCIARA, tracheal system 2m
- SCIATICA, 132j,195a; pathogen. 132k; surg. 200t
- SCIENCE, 100s,177b; hist., biblio. 106h; soc. aspects 118v
- SCIENTIFIC METHOD, 83b
- SCLERODERMA, 14c,14d,15e,15f,17e,62n; compl. & seq. 133u; localized 16t; ther. 147q
- SCLEROSIS, histol. 62d, multiple 52d,201v,201w; tuberos. 56u,115p,119p
- SCOLIOSIS, postop. 217t; ther. 237w
- SCOPHEDEL, 141u
- SCROTUM, bandage 110n
- SCURVY, 30u; metab. 207b
- SEA WATER, ingestion 75v
- SELECTION, 41k
- SELENOSIS, 200g
- SEMANTICS, 232i
- SERNI REACTION, 22a

SEROL  
SEROSES  
SEROIT  
SEROIT  
SERUM  
SERVAL  
SEWAG  
odor  
SEX, g  
108b  
SEX ED  
SHADO  
SHALE  
SHEEP  
SHOCK  
trau  
SHOCK  
151b  
SHOUL  
pain  
SHWAR  
SIBOGI  
SICKLE  
SIGMOI  
comp  
SILANE  
SILICO  
SILICO  
medi  
ther.  
SILVER  
17v  
SINUS,  
SINUSE  
& se  
ther.  
SITUS  
SJOGR  
SKIN,  
186w  
172p  
grow  
inne  
18e,  
ster  
66e,  
mor  
SLEEP  
SMALL  
--in  
SMELI  
SMITH  
SMOG  
SNAKE  
SNAKE  
SOAP,  
SOCIA  
tric  
SOCIU  
SODIU  
geog  
met  
SONIU  
SOLU  
SONIC  
SOUL  
SOYBI  
SPALI  
SPASI  
SPASI  
SPEC  
SPEE  
65c  
SPER

- SEROLOGY, 24m  
 SEROSITE, 196g  
 SEROTHERAPY AND HEMOTHERAPY, 36-1,199r  
 SEROTONIN, 95g  
 SERUM SICKNESS, 2.5h  
 SERVANTS, hyg. 131h  
 SEWAGE, disposal 71k,71-1,71m,--Buffalo 71m;  
 odor control 71o  
 SEX, genetics 103g; perversions 61o; reversal 58j,  
 108b,164b  
 SEX EDUCATION, criminal asp. 118c  
 SHADOW, psychol. 135r  
 SHALE OILS, sulfonation products 229q  
 SHEEP LIVER DISEASE, 238m  
 SHOCK, 129s,214i; surg. 125t,156m; ther. 55h;  
 traum. 231m, vasogenic 171w  
 SHOCK THERAPY, 61k,135f,196p,217k; eff. 150u,  
 151b,151c; exper. 150v,150w,151a,206d  
 SHOULDER, concretions 154v; disloc. 73j,201s;  
 pain 158c,184f; tumors 156p  
 SHWARTZMAN PHENOMENON, ther. 205-1  
 SIBOGLIMM, 83h  
 SICKLING, 108m  
 SIGMOID, cancer 216m; stenosis 189g; surg.,  
 compl. & seq. 75j,118i  
 SILANES, tox. 107g  
 SILICONES, tox. 107g  
 SILICOSIS, ceramic industry 41j; England 114t;  
 medico-legal asp. 114v; prev. 114w; roent. 114t;  
 ther. 113k,114u,114v  
 SILVER AND SILVER COMPOUNDS, eff. 18g; ther.  
 17v  
 SINUS, tuberculosis 157s  
 SINUSES, NASAL AND PARANASAL, dis., compl.  
 & seq. 64r,222b,--diag. 112g,202j; surg. 65s;  
 ther. 222q; tumors 65b,127o  
 SITUS INVERSUS, in twins 26p  
 SJÖGREN'S SYNDROME, 39t,128k  
 SKIN, abnorm. 170b; atrophy 93s; cancer 113p,173k  
 186w,206-1; cholesterol in 173h; dis. 93s,172k,  
 172p,--diag. 12t,13a,15a,15b,17d; granuloma 17s;  
 growth 2e,2f; histol. 23-1; hyg. 203t; inj. 93k;  
 innerv. 53o; necrosis, in inf. 143n; occup. dis.  
 18e,151o, pigment dis. 94h,172h; reactions 213m;  
 sterilization 119c; temperature 69t,225b; transpl.  
 66e,73s,--patents 25m; tuberculosis 49f,94o; tu-  
 mors 17t,48n,128t,172v; ulcers 108j  
 SLEEP, hypnotic 55s; physiol. 62q  
 SMALL POX, 143s; blood in 199k; vaccination 185t,  
 --in inf. 195p; virus, roent. 223k  
 SMELL, genetics 26g; tests 47u  
 SMITH-PETERSEN NAIL, 59i  
 SMOG, Los Angeles 107i  
 SNAILS, 229d  
 SNAKES, 106g,553k  
 SOAP, eff. 5d  
 SOCIAL SERVICE, 192f; Denmark 136o; psychia-  
 tric 217s,217w,218b,218c  
 SODIUM BICARBONATE, 196m  
 SODIUM BICARBONATE, 28o,149j; chem. 28-1,28o;  
 geography 28m; hist. 28-1; in Switzerland 28n;  
 metab. 214f; solutions 228p  
 SODIUM CYANIDE, tox. 20k  
 SOLUTIONS, med., patents 177v  
 SONIC ENERGY, genet. asp. 102-1  
 SOUL, 135r  
 SOYBEANS, 225h,225j,225-1,225m  
 SPALLANZANI, LAZARO (1729-1799) 28u  
 SPASM, buccal 62r  
 SPASMALGIN, 41o  
 SPECTROGRAPHY, 200f  
 SPEECH, 68o,232-1; dis. 217f,217g; stammering  
 65c  
 SPERMATOGENESIS, 164h  
 SPERMATIZOEA, exam, medico-legal asp. 20e  
 SPINGOMYELIN, metab. 143i  
 SPINA BIFIDA, 17d,112i,128b  
 SPINAL CORD, inj. 122g; neurofibroma 209c  
 SPINAL PUNCTURE, compl. & seq. 60w  
 SPINE, abnorm. 34f; arthritis 44q,122p,196k; dis-  
 198c; intervertebral disks 59s,122p,208g; ortho-  
 pedics, appar. 60-1; osteomyelitis 126p; roent.  
 46f; surg. 60a; tuberculosis 59e; tumors 147o;  
 wds. & inj. 59k  
 SPLEEN, blood supply 74k; cysts 48i; physiol. 36s;  
 torsion, in pregnancy 105d  
 SPLENECTOMY, indic. 192v  
 SPLENOMEGALY, 53m,129c,203o  
 SPLINTS, 73n  
 SPONDYLARTHROSIS, 52p; surg. 52q; ther. 52q  
 SPONDYLITIS, ankylosing 133h; rheumatoid, cere-  
 brospinal fluid in 133g,--radiother. 133p,--ther.  
 133o; syphilitic 133h  
 SPONDYLOLISTHESIS, 213c  
 SPOROTHRIX, schenck 40s  
 SPOROTRICHOSIS, diag. 16q  
 SPRUE, 169t; diag. 214u; etiol. & pathogen. 44v;  
 tropical 108h  
 STAINS AND STAINING, 3k,23-1  
 STAPHYLOCOCCI, aureus 186j; culture 110k; in-  
 fect. 47h,66m; pulmonary 186u  
 STARVATION, eff. 152r,--in inf. 210n; soc. asp.  
 152s  
 STATISTICS, 57u,115e,132v  
 STEATOMATOSIS, familial 18h  
 STENSEN, NIELS, (1638-6184) 221i  
 STERILITY, 102j,103p,--diag. 196c,212q; etiol.  
 122g; female 184d,188k; gen. pract. 43-1; gene-  
 tic aspects 102a,103m; male 41n,46o,184d,196c;  
 ther. 104s,130v  
 STERNUM, 117e; punct. 190j  
 STEROIDS, metab. 185s  
 STETHOSCOPE, 44b  
 STILBESTROL, eff. 87g  
 STOMACH, acidity 96k,96-1; atresia 98e; cancer  
 98h,113c,125f,156-1,--diag. 31e,31g,96t,13d,190w,  
 --surg. 189a,189d,189e; dis. 72q,113c,190g,--diag.  
 211i; displacement 37k; fetal 180a; hemorrh. 52w;  
 mucosa 23h; polyp 98w; postop. 193j; roent.  
 117n; rupt. 190t; secretions 67h,81m,83-1,96h,  
 130g,175b,190w,228a,228b,228c; surg. 51i,189d,  
 --compl. 196i; syphilis 196i; torsion 132a; tu-  
 mors 99k,156n; wds. & inj. 98d  
 STRABISMUS, surg. 116h  
 STREPTOBACILLI, Haverhill 223d  
 STREPTOCOCCI, differentiation 3j, hemolytic 134f,  
 206n,206o; immunology 66r  
 STREPTOMYCIN, 21-1,128a,157-1,157r; biochem.  
 29p; eff. 147h,162b,206a,221s,--ear 47r; electron  
 microscopy 22k; metab. 57h; preop. 157o,237c;  
 surg. 157j,157k; ther. 32s,35k,35m,37p,39u,44r,  
 55m,62m,68h,77t,77u,78h,108k,111g,111k,125c,  
 140-1,147n,157m,157n,157t,157u,159t,184j,184k,  
 184-1,190c,203g,209h,213a,216b,216d,397m; tox.  
 18m,44t,157v,185-1  
 STRONGYLODIASIS, 109k  
 STROPHANTH, 41t,48t  
 STRYCHNINE, tox. 62a  
 SUCROSE, bact. ferment. 3j  
 SUICIDE, 31h; attempted 20g; France 19r  
 SULFADIAZINE, bromination 229c  
 SULFAPYRIDINE, tox. 54t  
 SULFATHIAZOLE, bromination 229o; eff. 169s;  
 ther. 115v,213i  
 SULFONAMIDES, antagonists 214w; dent. ther. 91v,  
 169j; eff. 4i,46-1,122b,125f,215d; embryologic  
 exper. 164f; in child. 182r; in obst. 27-1, in  
 tonsillectomy 65p; ther. 36w,--in child 37b; tox.  
 49b,120p,122f,204k



- SULFONIC ACIDS**, derivatives 76-1; determ. 229p; ther. 115n,146s
- SULPHARSPHENAMINE**, tox. 83r
- SUPEREGO**, form. 134c
- SUPERSONIC WAVES**, 116g; eff. 234m; ther. 36m, 36c,131u,234m,234n
- SURGERY**, 156c,192p,200v; appar. 106c,176c,--patients 25a,25c,25p,25q; blood in 53r; card. failure 48b; dressings 75i; endoscopic 43n; Greece 210-1; hist. 136i,236c; infect. 121j; military 216c; museums 114p; physiol. 120j; plastic 28b,48m, 56c,198c; postop. care 123a,156c,195r,202m; postop. compl. 74n,197j; preop. care 74n,202m; Russia 73v; treatises 129k
- SUTURES**, 48k,52k,230b; patents 177s
- SWAMP FEVER**, 4p,186p
- SWEAT**, defic. 46t
- SWEAT GLANDS**, abscess 234j; cancer 18k
- SYMPATHECTOMY**, 7c,210i; arm 119f; in frost-bite 66c; retinal eff. 128p,128q; thoracic 73p
- SYNCOPE**, card. asp. 32d,196h
- SYPHILIS**, 13t; compl. & seq. 13s; tertiary 94d
- SYPHILIS**, 18w,19a; bismuth ther., roent. 188f; compl. & seq. 79h; congen. 105j;--ther. 33a,92j,172j,201c; diag., medico-legal asp. 151p; epidemiol. & statist. 187-1,203i,240h; exper. 18b; immun. 173e; in child. 240h; in pregnancy 189-1; prev. & control 240d,240e,240f; secondary 16q, 16w; serodiag. 18s,18t,101m,110i,181a,184c, -- compl. & seq. 92u; terminology 28v; tertiary 15d,94d; ther. 18j,36t,111h,116d,189-1,216k,240h, 240k,-- hist. 79j; transfusion 92w; traum. 31b
- SYRINGE**, diabetes 190p; hypodermic, patents 24v, 24w,25c; screw 95f
- SZONDI TEST**, 70r
- TAKATA-ARA TEST**, 116-1
- TANNINS**, 22m
- TAPEWORMS**, dis. 238q
- TAR**, ther. 18e
- TASTE**, 69r
- TATTOOING**, 20p
- TEBEPROTEIN**, 33a
- TEETH**, abnorm. 12a,91i,169u,170s,170v,--eff. 171c, --genetic asp. 103a,103c; extract. 12a,91r,171i; fract. 91t; hyg. 91f; implant. 132q,169i,171k,171p 171q; occlusion 172e; pulp 170e,170i; roent. 91f; root canal ther. 169b,171m,172b; roots, fract. 171b,--surg. 90q,92e; straightening 12g; super-num. 170h; third molars, surg. 91c,171j; tumors
- THIRD MOLARS**, 91c,169d
- TRILANGIECTASIS**, 13e,118v
- TELEVISION**, in nurs. educ. 63e
- TEMPERATURE**, BODY, eff. of cold 237s; in child. 110w; regulation 22n,69t,69w
- TEMPORAL BONE**, cancer 65r; roent. 141r; tomography 42f
- TENDONS**, exper. degen. 60h
- TESTES**, cancer 197g; degen. 207n; spermatocoele 239-1; tumors 17u,32n,56j,189i,215b; undescended 20b,203v; wds. & inj. 239j
- TESTOSTERONE**, metab. 205r
- TETANUS**, 112r; antitoxin 238k; cephalic 29r; etiol. & pathogen. 213s; ther. 91v,111k,119k,236g
- TETANY**, 225d; latent 110j
- TETRAETHYLAMMONIUM**, eff. 108r; ther. 48c
- TETRALOXY OF FALLOT**, 34f
- THALAMUS**, 61b
- THERAPEUTICS**, 48r,126v; intraspinal 188s; patients 25c
- THERMODYNAMICS**, terminology 22b
- THIAMINE HYDROCHLORIDE**, 174r; defic. 114-1, 118c; eff. 174n
- THIGH**, gas gangrene 136m
- THINKING**, archaic 135r
- THINNESS**, 191c
- THIOCYANATES**, tox. 183c
- THIOURACIL**, eff. 214e; ther. 48-1,125i,201a; tox. 33s,197c
- THIOUREAS**, 227n; tox. 100j,181j
- THIRST**, 192s
- THORACIC DUCT**, 235m
- THORAX**, 224q; abscess 158-1; cysts 127v,155j; fluoroscopy 195u; surg. 41a,113w,122h,161n,184n, 184p,184r,184s,184t,185f,185h,213r,217d,235k; anesth. 235n,--compl. & seq. 217f,--soc. asp. 184u; wds. & inj. 34r
- THRASHER'S DISEASE**, 39h
- THREONINE**, genetics 104k
- THROMBO-ANGITIS OBLITERANS**, cerebral 62e
- THROMBOPATHY**, constitutional 212f
- THROMBOPHLEBITIS**, 217e; migrans 109g; retinæ 123s; ther. 198-1
- THROMBOSIS**, extremities 6n; in obst. 189m; in trop. med. 46k; orbital 123u; renal 159n; sinus 141c; ther. 190c,191w,202a,202g; tibial 32r
- THUMB**, splints 60k
- THYME**, ther. 68w
- THYMECTOMY**, 21q,22m
- THYMOL TEST**, catatonica 61q
- THYMUS**, hyperactivity 34p; roent. 71u; tumors 39m
- THYPHENOTIN**, 226w
- THYRO-ADRENAL SYNDROME**, 52s
- THYROID**, dis. 130g,236t; hyperfunction 72c,84p, 175h,--surg. 96a; hypofunction 182c,--compl. & seq. 187r; innerv. 1e; osteosis 210f; ovarian relations 188i; physiol. 4f,46-1,47-1; tumors 67b
- THYROID EXTRACT**, ther. 33r
- THYROIDECTOMY**, compl. & seq. 214r,215e
- THYROPROTEIN**, eff. 99u
- THYROTOXICOSIS**, 34e,121t; compl. & seq. 201g; ther. 48-1
- THYROXIN**, chem. 163u
- TICKS**, eff. 45b; sheep 163k
- TINNITUS**, surg. 65j
- TISSUE**, 1f; culture 5n,5o
- TOLUIDINE BLUE**, eff. 21p
- TONGUE**, dis. 197u
- TONSILLECTOMY**, hemorrh. 222a,182t,222a; 45s; sulfonamides 65p
- TONSILS**, dis. 33h,198c; radio ther., indic. 182t; syphilis 222p
- TOOTHACHE**, high altitude 170b
- TORTICOLLIS**, acute 95r; muscular 59c
- TORULA**, histolytica 40s
- TOXICOLOGY**, 107k,117c,163h
- TOXOPLASMOSES**, 195n; compl. & seq. 68c; congen. 223g; in inf. & child. 68e; serodiag. 68d
- TRACHEA**, 222s; stenosis 53v,54f,67t; surg. 73a; tumors 47w,65j,65k
- TRACHEOTOMY**, 78m,142c,209a
- TRACHOMA**, 139c,164r
- TRANSLOCATION**, genet. 102g
- TRANSMUTATION**, eff. 103w
- TRANSVERSO-RECTOSTOMY**, 183c
- TRIPHENONEMA PALLIDA**, 42a,67j,162t
- TRICHINOSIS**, latent 3-1
- TRICHLOROETHYLENE**, tox. 193q
- TRICHOMONAS**, foetus 82p
- TRICHOPHYTIN**, tox. 172k
- TRICHOPHYTOSIS**, 94n
- TRICLADIDA**, 184j
- TRIDIONE**, eff. 135a,213h
- TRIETHYLENE GLYCOL**, vapors 211v
- TRIMEROTROPIS**, genetics 101s
- TRIMETHADIONE**, eff. 67u
- TRIPLETS**, diag. 42-1
- TRIPOLOIDY**, 103e
- TRISMUS**, 170w

TROMB  
TROPIC  
TRYPAN  
67i  
TRYPSIN  
TRYPTO  
TUBER  
TUBER  
milia  
vaccin  
--Ch  
78i, 7  
224r  
prep  
145m  
112h  
56e, c  
exper  
138u  
78n, 1  
235a  
in nu  
veter  
199n  
127f  
pseud  
sero  
184, 4  
78h, 7  
78r; 7  
193p  
tion  
TUBER  
159c  
126w  
date:  
ogen  
rein  
188s  
108s  
126c  
112p  
TUBER  
TULAR  
TUMOR  
enor  
--su  
ma  
94e, 2  
221c  
chol  
dom  
tion  
min  
143h  
206c  
bron  
tics  
bias  
140c  
140c  
lipo  
lym  
17r, 1  
mel  
124i  
ing  
111h  
nyx  
bias  
neu  
tom  
path  
phe



## TROMBIDIOSIS, 193w

TROPICAL MEDICINE, dis. 108n, 172m; Poland 49f  
 TRYPAENOSOMIASIS, 205c; Brazil 34u; chemother.  
 67f

## TRYPINS, biochem. 5g

TRYPTOPHANE, metab., genet. asp. 103-1

TUBERCLE BACILLI, 29s, 51f, 57j, 77-1, 77o, 77p

TUBERCULOSIS, 45w, 48n, 55f, 79h, 143j, 159f; acute  
 miliary 112j, 112k, 112-1, 239e; age in 124w; BCG  
 vaccine 33c, 56m, 242t, 124u, 187d, 238v; Brazil 78j,  
 --Chicago 227c, --compl. & seq. 152t; congresses  
 78i, 78j, --exper. 224s, 224u, 224w, --in child. 224o,  
 224r, --in inf. 239d, 239e, --lab. asp. 29j, 227c;  
 prep. 239c, --pub. health asp. 227d, --Uruguay  
 145m; bovine 121b; cavities 78n; compl. & seq.  
 112h, 116f; diag. 125b; epidemiol. & statist. 42h,  
 56e, 62u, 77v, 153k; etiol. & pathogen. 54o, 58n, 78w;  
 exper. 31v, 77m; eyes in 140p; geriatric asp.  
 136u; immun. 54r, 54u, 129i, 197q; in child. 67s,  
 78n, 125b, 147i, 194c, 198s, 197n, 199n, 225e, 226-1,  
 235a; in foodhangers 77n; in med. students 77n;  
 in nurs. students 154h; in pregnancy 179-1; in  
 veterans 77u; orthopedic 157u; osteo-arthritis  
 199n; pathol. 158v, 158w; prev. & control 56e, 56f,  
 127f, 186g, --military 78e, --Switzerland 78e;  
 pseudomembranous 115u; psychol. asp. 45v;  
 serodiag. 52m, 77q, 119w; surg. 130p, 157n, 157q,  
 184, --premed. 157o; ther. 35k, 37b, 39i, 39u, 77u,  
 78h, 157r, 190c, 192d, 197o, 209h, 218r, 238w; transm.  
 78r; tuberculin 112-1, 119v, 124u, 124v, 125a, 144w,  
 193p, 196s, 216b, 224a, 224m, --prod. 117w; vaccina-  
 tion 37n, 37o, 125o, 184i, 184j

TUBERCULOSIS, PULMONARY, age in 77h; bact.  
 159c, 159d; collapse ther. 113k, 197m, 235f; diag.  
 126w; epidemiol. & statist. 42g, 56h, 122o; exu-  
 dates 78v; in child. 155i; lung volume 31p; patho-  
 gen. 77g; pathol. 78g; psychol. asp. 77k, 134t;  
 reinfect. 150b; roent. 37m, 186g, 190-1; sex asp.  
 188s; surg. 55d, 77i, 157j, 157-1, 157m, 157v, --  
 compl. & seq. 77j; ther. 49n, 50r, 108k, 111g, 123f,  
 126c, 151-1, 184h, 184j, 184k, 216b, 216d; tuberculin  
 112p

## TUBERCULOUS, rehabl. 238e

TULAREMIA, epidemiol. & statist. 211o

TUMORS, 48r, 93h, 212p; adenolymphoma 221p; ad-  
 enoma 44f, 75i, 123t, 141e, 201e, --eosinophil 209b,  
 --surg. 75c; angioendothelioma 17j, 221o; angio-  
 ma 7b, 12i, 17f, 94-1, 111r; angioneuroma 44o,  
 94e, 236d; arrhenoblastomas 105p; auditory canal  
 221d; bladder 54-1, 54m, 215j; calcareous 20j;  
 cholesteatoma 62g, 65a; chondromas 156w; chor-  
 doma 155w; chorioepithelioma 44g, 56j; cultiva-  
 tion 84c; cylindroma 47w; diag. 183j; dysger-  
 minoma 27j; epithelioma 13-1, 15i, 16g, 17j, 120e,  
 143b; epulis 107f; etiol. & pathogen. 203e; exper.  
 206q, 206u; fibro-lymphoangioblastoma 143a; fi-  
 broma 142o, 156n; fibrosarcoma 15n, 122i; genet-  
 ics 5t; giant cell 171t; glioma 124a; gynandro-  
 blastomas 105p; hamartomas 108n; hemangioma  
 140m; hemangiopericytoma 15o; hematoma 52f,  
 62o, 156u, 185s; Keloids 234i; leiomyoma 39d;  
 lipoblastoma 123s; lipoma 169v; lungs 55i, 74p;  
 lymphoblastoma 14p, 14q, --surg. 236i; lymphoma  
 17i, 53k, 193u; lymphosarcoma 17n, 127q, 235s;  
 melanoma 14s, 14v, 16o, 17g, 124f; melanosisarcoma  
 124b, 124c; meningioma 46j, 65n, 142w, 156i; men-  
 ingioblastoma 222h; metastasis 109s; myeloma  
 111b, 156k; myeloidsarcoma 208h; myoma 193n;  
 nyxosarcoma 15n; neurinoma 45k, 140h; neuro-  
 blastoma, compl. & seq. 220k; neurofibroma 46j;  
 neuroma 169v; osteochondromas 156p; osteoclas-  
 toma 155u; osteoma 46m; osteosarcoma 46m;  
 pathol. 111b; pathol. 191h, 223q; phantom 140k;  
 pheochromocytoma 220j; radiother. 54e; reticu-

losarcoma 43u; rhabdomyosarcoma 221c; sar-  
 cold 18q; sarcomas 6c, 14q, 14u, 15f, 65r, 122i;  
 spontaneous, in frog 52b; steatocystoma 15m;  
 teratoma 56j; transpl. 5w

## TURBIDIMETRY, 196u

TURMERIC, ther. 41f

TURNER'S SYNDROME 175-1

TWINS, Italy 27g

TYPHOID, 197e; blood in 199w; carriers 71b;  
 compl. & seq. 123s, 126p; epidemiol. & statist.  
 115q, 115t, 151m, 187m; in child. 146c; ther. 42o,  
 115v

TYPHUS, compl. & seq. 187n, 49a; immun. 181u

ULCERS, etiol. & pathogen. 48p; ther. 30g, 129g;  
 trophic 110m; tropical 129n, 238i

ULCUS, ventriculi 214q

ULTRAVIOLET RAYS, ther. 16c, 204n; with infra-  
 red 234o

UNDULANT FEVER, anemia 114c; blood in 199w;  
 compl. & seq. 54k; epidemiol. & statistics 54n, 20  
 209g, 211p; neurol. compl. 181k; ther. 40g, 187c,  
 191a

UNIVERSITIES, Germany 131p

URACHUS, cancer 239s; cysts 239g; tumors 239g

URANIUM, tox. 107f

UREA, 207-1; determ. 162f; metab. 177p

UREASE, 29o, 66m

UREMIA, 128u, 199t, 202q; simulated 42k

URETERS, abnorm. 66g; calculi 44t, 126g, 159j, 159v,  
 184f; dilatation 240a; implant. 35s; surg. 159o

URETHANE, eff. 97-1, 158h; ther. 213p; tox. 183b

URETHRA, 36c, dis. 31c, --ther. 37a; diverticula  
 36c; prolapse 201n; smear 175j; strict. 159g;  
 tumors 142o

URETHROSTOMY, 127u

URINARY TRACT, calculi 117f; dis. 202i, --congen.  
 239u, --ther. 160a; infect. 118-1, 195s, 198e; roent.  
 199c; tuberculosis 159t

URINATION, dis. 192s; incontinence 204a, 239t

URINE, aneurin in 107g; chem. 4c, 42e; creatine &  
 creatinine 205s; porphyrin 31e; quinine 51u;  
 spectral analysis 117o; sugar 100i, 208r; ther.  
 43f

UROLOGY, 159k, 159m, 191g; aspiration 115i; surg.  
 127p, 239t

UROPEPSIN, 174h, 174i, 174j

URTICARIA, 117-1; chronic 15o; cronic 48v; diag.  
 15v; papular 12v; pigmentosa 15h; solaris 46q;  
 ther. 117m

UTERUS, 27k; abnorm. 27p, 156o; anat. 27f; body,  
 cancer 142u, 180h, 191s; cancer 43p, 44f, 52a, 186a,  
 192t, 211-1, --diag. 50e, --in mice 84b, --radiother.  
 72f, 234k; contractions 131b; displacement 201p,  
 --surg. 157g; fibroids 157f; for. body 27m; hyda-  
 tid mole 187n; in pregnancy 99o; inversion 27m,  
 27v, 179s, 180m; muscles 180g; prolapse 27s, 124m,  
 128b, 201i, --surg. 27t, 27u, 128c, 212w; rupt. 203c;  
 syphilis 180c; tuberculosis 179k; tumors 105e,  
 105f, 105w, 189-1

VACCENIC ACID, 138n

VACCINATION, 111f, 169i; compl. & seq. 33g, 110q,  
 122m

VACCINES, influenza virus 57r

VAGINA, abnorm. 124p, 186b; cancer 84b; cysts

210u; prolapse 27t, 27u; surg. 27s

VAGOTOMY, 48b, 48o, 125p, 214g, 236f

VALDENIA HETERODOXA, 229v

VALSALVA'S EXPERIMENT, 165o

VAN SLYKE TEST, 53b

VARIOLIFORMIS, acute 15d

VAREX, esophagus 236n; ther. 155n

VAS DEFERENS, exam. 239w

VASCULITIS, nodular 17k

VASODILATION, therapeutic 57t

- VEGETARIANISM, 420  
 VEINS, catheter., appar. 95e; femoral 207j; mor-  
 phol. 143i; pulmonary 235r; thrombosis, in obst.  
 & gyn. 157h  
 VENEREAL DISEASES, 190f; clinics 92s; control  
 92t; epidemiol. & statist. 46e; ther. 92i, 132n,  
 215c  
 VENEREAL LYMPHOGRANULOMA, 340, 98i; compl.  
 & seq. 68j, 159q  
 VERTIGO, 30j, 198k  
 VETERANS ADMINISTRATION, nurs. serv. 63c  
 VETERANS, disabilities 3a; tuberculous 77u  
 VIBRATION, eff. 150e, 162e; tissue analysis, patents  
 25r  
 VINCENT'S ANGINA, ther. 11v  
 VIRUS DISEASES, dis. 121d; transm. 24c  
 VIRUSES, 49v, 206k; agglutination, appar. 177q;  
 chemother. 212a; culture 178e, 206w; eff. 181e  
 VISCERA, diverticulosis 40i; physiol. 183c; trans-  
 position 31r, 204p  
 VISION, field of 69u; fusion 139-1; light 2u; stereo-  
 scopic 64c, 1230, 219p; testing 64g  
 VITAL CAPACITY, 161s  
 VITAMIN A, 179u, 179v, 188q, 205v; chem. 4e; defic.  
 1k; eff. 22n; plasma 96q; stability 219c; ther.  
 14f, 76k  
 VITAMIN B, 33i, 207m; in food 153e, 224j; metab.  
 138k, --in arthritis 134j  
 VITAMIN B<sub>12</sub>, 24k; eff. 97j  
 VITAMIN C, 179u; defic. 116a, --ther. 1o  
 VITAMIN D, 185q, 198f, 199n; ther. 56o, 56t, 78p, 93i,  
 147i; tox. 175g  
 VITAMIN E, in muscle metab. 39i; metab. 138j;  
 ther. 18a, 183o  
 VITAMIN K, eff. 97q, 118d  
 VITAMINS, 43c, 54n, 186e; admin. & dos. 137w;  
 geriatric asp. 118v; metab. 119s; ther. 221n  
 VITREOUS HUMOR, dis. 114j; transpl. 139q  
 VOCAL CORDS, cancer 141k  
 VOCATIONAL GUIDANCE, 150s  
 VULVA, cancer 28d, 104r; ulcer 42k  
 WAGNER, RICHARD (1813-1883) 60s, 218h  
 WAR, defeat conditions 110b; dis. 122o; wds. & inj.  
 39o  
 WARTS, 13c, 15i; plantar, surg. 60g; senile 40i;  
 ther. 234n; venereal 93c  
 WATER, 71n; exam. 132t; metab. 5i, 24h, 214f; min-  
 eral 75v, 75w; pyrogenic eff. 76q; tox. 214b  
 WAX CRAYONS, polys. 144u, 144v  
 WEEDS, control, patents 24o  
 WHEAT, dis. 163p; genetics 26k  
 WHOOPING COUGH, compl. & seq. 145f, 197h; diag.  
 37c; radiother. 55r; ther. 3b  
 WOLFFIAN BODY, determ. 21j  
 WOMEN, life-expect. 117s  
 WOODCUTTER, occup. eczema 93m  
 WORK, 31c; physiol. 230v; psychol. 61t; satisfac-  
 tion 232n  
 WORK HYGIENE, heat 152f  
 WORKMEN'S COMPENSATION AND INSURANCE,  
 Ryukyus 30e  
 WOUNDS, 193k; compl. & seq. 182u; gunshot 193-1,  
 --med. legal aspects 175t; healing 75a, 223g; in-  
 fect. 197j, --compl. & seq. 183q; ther. 22u, 36w,  
 72t, 120s  
 WRIST, deform. 147d; disloc. 42j; prosthesis, pa-  
 tents 25p; roent., in inf. & child. 226q; surg. 72w  
 XANTHOCHROMIA, 147o  
 XANTHOMA, 235p; tuberculosis 17-1  
 XANTHOMATOSIS, 204-1, 208k  
 XANTHOPTERIN, 205h  
 XERODERMA, hered. 6e; pigmentosum 16v  
 XYLOCAIN, 161d  
 YEAST, 22g, 71h  
 ZINC, admin. & dos. 219h  
 ZOOGEOGRAPHY, N. Africa 164m  
 ZOOLOGY, teaching 83b  
 ZOSTER, 132o  
 ZULU, 164p

inj.

ain-

ag.

ac-

s,

3-1,

in-

w,

22-

72w